Index

VOLS. 1–3

Included in this issue is a cumulative index for Volumes 1 to 3 of *Power Reactor Technology*. Future indexes for this quarterly will be prepared annually and will appear in the final (Number 4) issue. In this index the bold numbers denote volumes, the numbers in parentheses denote issues, and the other numbers denote pages.

A

AB Atomenergi Laboratory, exponential experiments, **3**(4), 13
Activation experiments, **1**(2), 11
Advanced Gas-Cooled Reactor, design, **2**(1), 28–9
Air, corrosion of beryllium, **2**(4), 69
Air Force Nuclear Engineering Test Reactor
  See Reactor (Air Force Nuclear Engineering Test)
Aircraft Reactor Experiment, control rods, **3**(3), 45
Alkanex, radiation effects, **1**(4), 38
Alkylbenzene, radiation effects, **1**(4), 38
Alloys, radiation effects, **3**(4), 38–57
Aluminum, corrosion by carbon dioxide, **1**(1), 33
  corrosion by polyphenyls, **1**(4), 44–5
  corrosion by water, **1**(1), 18; **1**(2), 39; **3**(4), 29–30
  electrocladding of fuel elements, **2**(2), 34
  neutron absorption, **3**(3), 34
  pressure tubes for Gas-Cooled Reactor Experiment, **2**(3), 61
  properties, **1**(4), 23, 25
  radiation effects, **1**(3), 28; **1**(4), 40–1
  reactions with uranium dioxide, **1**(4), 25
  shielding properties, **2**(2), 30
  solubility in liquid bismuth, **1**(3), 50
  welding, **2**(2), 33
Aluminum (liquid), coolant properties, **1**(2), 40
Aluminum (sintered powder), corrosion by carbon dioxide, **1**(1), 33
Aluminum alloys, corrosion by carbon dioxide, **1**(1), 33
  corrosion by high-temperature water, **1**(2), 40
  corrosion by phosphates, **1**(2), 40
  radiation effects, **1**(4), 40
Aluminum-iron alloys, radiation effects, **3**(1), 37–8
Aluminum-nickel alloys, corrosion by water, **1**(3), 37–8
  properties, **1**(4), 25
  radiation effects, **1**(3), 33, 37–8
Aluminum-plutonium alloys
  See Plutonium-aluminum alloys
Aluminum-silicon systems, pressure-tube construction, **2**(1), 34
Aluminum-silicon-uranium systems, diffusion, **1**(2), 30–1
Aluminum-uranium alloys
  See Uranium-aluminum alloys
Aluminum-zirconium alloys, corrosion by uranyl sulfate, **1**(2), 52
Amber, radiation effects, **1**(3), 40
Americium-241, neutron cross sections, **1**(3), 13
APS-1 Reactor
  See Reactor (Obninsk)
Aqueous homogeneous reactors
  See Reactors (homogeneous)
ARBOR Reactor, design, **1**(2), 64–5
Argon, reactor cooling, **1**(4), 57–8
Argonaut Reactor
  See Reactor (Argonaut)
Argonne Boiling-Water Reactor
  See Reactor (ARBOR)
Argonne Low-Power Reactor
  See Reactor (ML-1)
Argonne National Laboratory, critical and exponential experiments, **3**(4), 13
Army Mobile Low-Power Reactor
  See Reactor (ML-1)
Army Package Power Reactor
  See Reactor (SM-1)
Asbestos, radiation effects, **1**(4), 38
Atomic Energy Research Establishment, critical and exponential experiments, **3**(4), 14, 15
Atomics International, exponential experiments, **3**(4), 15, 16

B

Babcock and Wilcox Co., critical experiments, **3**(4), 15
Barium uranate, melting point, **1**(2), 28
Barytes concrete, shielding properties, **2**(2), 31
Belgian reactors
See Reactor (Belgonucleaire); Reactor (BR-3)
Belgonucleaire Reactor
See Reactor (Belgonucleaire)
Beloyerski Urals Reactor
See Reactor (U.S.S.R. Superheater)
Berkeley Reactor (British), refueling, **2**(4), 60, 64–5
Beryllium, **2**(4), 67–71
compatibility with uranium, **2**(4), 70
compatibility with uranium dioxide, **2**(4), 70
corrosion by air, carbon dioxide, hydrogen, nitrogen, and oxygen, **2**(4), 69–70
costs, **2**(4), 71
fabrication and production, **2**(4), 67
moderation of liquid-metal-fuel reactors, **1**(3), 46
physical properties, **1**(1), 32
properties, **2**(4), 67–8, 69
radiation effects, **1**(1), 32; **1**(4), 40–1; **2**(4), 70
shielding properties, **2**(2), 30
thermal properties, **2**(4), 67, 69
toxicity, **2**(4), 70–1
Beryllium oxide, properties, **2**(4), 67
Beryllium oxide–thorium oxide systems, properties, **1**(2), 31
Beryllium oxide–thorium systems, properties, **1**(2), 31
Beryllium oxide–uranium dioxide systems, properties, **1**(2), 31
Beryllium–uranium dioxide systems, properties, **1**(2), 31
Bettis Atomic Power Laboratory, critical experiments, **3**(4), 14
Biphenyl, coolant properties, **2**(4), 42
nucleate boiling, **3**(1), 19
properties, **1**(4), 46
Bismuth, physical properties, **1**(3), 45
shielding properties, **2**(2), 30
Bismuth (liquid), coolant properties, **1**(2), 40
dissolution of aluminum, copper, iron, magnesium, molybdenum, nickel, niobium, tantalum, and tungsten, **1**(3), 50
physical properties, **1**(3), 48
Bismuth alloys (liquid), corrosion of steels, **1**(3), 51
Bismuth-graphite systems, neutron moderation, **2**(2), 10
Bismuth-lead alloys (liquid), coolant properties, **1**(2), 40
Boilers, Loeffler type, **3**(2), 13–14
Boiling, bubble formation, **1**(3), 20–1
burnout, **1**(3), 13, 17–18; **1**(4), 7–8; **3**(2), 36–7, 39
criticality effects in reactors, **1**(3), 20–1; **3**(4), 34–5
heat transfer, **3**(2), 35–7, 39
mathematical analysis, **1**(4), 8
steam slip, **3**(4), 28–9
Boiling (nucleate), biphenyl, **3**(1), 19
departure from, definition of, **3**(4), 27
heat transfer, **3**(1), 19; **3**(4), 27–8
organic-cooled and -moderated reactors, **3**(1), 19–21
polyphenyls, **3**(1), 19
Boiling reactors
See Reactors (boiling, heavy-water); Reactors (boiling-water)
BONUS Reactor
See Reactor (BONUS)
BORAX Reactors
See Reactor (BORAX)
Borides, applications as control materials, **3**(3), 40
Boron, applications as control material, **1**(2), 34
melting point, **1**(2), 28
nuclear properties, **3**(3), 32
radiation effects, **1**(2), 34
shielding properties, **2**(2), 30
Boron-10, effectiveness for reactor control, **1**(2), 34
nuclear properties, **3**(3), 32
Boron carbide, radiation effects, **1**(1), 30–1
Boron glass, neutron absorption, **3**(3), 36
Boron-hafnium systems, applications as control materials, **1**(2), 34–5
Boron-iron systems, control-rod design, **1**(3), 34
Boron-iron systems (stainless-steel-clad), control rods in SM-1 Reactor, **3**(3), 40
Boron–stainless steel systems, control-rod applications, **3**(3), 34, 38–40
corrosion by water, **3**(3), 39
properties, **3**(3), 38–40
radiation effects, **1**(1), 30; **2**(4), 71; **3**(3), 39
Boron-steel systems, neutron absorption, **3**(3), 33–40
Boron-titanium systems, corrosion by water, **3**(3), 41
properties, **3**(3), 40
radiation effects, **1**(1), 30; **3**(3), 40–1
Boron–Zircaloy-2 systems, radiation effects, **1**(1), 30
Boron-zirconium systems, corrosion by water, **3**(3), 41
properties, **3**(3), 40
radiation effects, **1**(1), 30; **3**(3), 40–1
Boron-zirconium systems (Zircaloy-2-clad), radiation effects, **1**(2), 34
BR-3 Reactor
See Reactor (BR-3)
Bradwell Reactors
See Reactor (Bradwell)
Breeder Reactors
See Reactors (Breeder)
Breeding, **3**(2), 21–9
conferences, **3**(2), 27–9
fast-breeder reactors, **3**(2), 25
Fast-Reactor Core Test Facility, **3**(2), 67
fluid-fuel reactors, **3**(1), 56
liquid-metal-fuel reactors, **1**(3), 42–5
Shippingport Pressurized-Water Reactor, **1**(3), 6–7

Breeding (Continued)
thermal-breeder reactors, **3**(2), 25–7, 52; **3**(3), 4
water-cooled and -moderated reactors, **2**(1), 17–19
British reactors
See Reactor (Berkeley); Reactor (Bradwell); Reactor (Dounreay); Reactor (Dragon); Reactor (Hinkley Point); Reactor (Hunterston); Reactor (Trawfynydd); Reactor (Zeus)
Brookhaven National Laboratory, exponential experiments, **3**(4), 13, 15
Brown-Boveri-Krupp Reactor, design, **3**(4), 59
Bubbles, formation, **1**(3), 20–1
Buckling **1**(2), 1–7
heavy-water lattices, **3**(2), 30–1
heavy-water-moderated reactors, **1**(4), 2
measurement, **1**(2), 11; **3**(2), 30–1
reactor core lattices, **1**(3), 1–6
Savannah River Reactors, **1**(3), 1–2
Bulk Shielding Reactor, shielding experiments, **3**(2), 40
Burnable poisons, **1**(3), 13; **2**(2), 28–9
Burnout, boiling effects, **1**(3), 13, 17–18; **1**(4), 7–8; **3**(2), 36–7, 39
boiling-water reactors, **3**(3), 10
fuel elements at high pressure, **2**(4), 39–42
Homogeneous Reactor Experiment-II, **3**(3), 60–1
MTR-ETR fuel elements at low pressure, **2**(4), 36–9
polyphenyls, **2**(3), 20–1
pressurized-water reactors, **2**(4), 39–42
rectangular channels, **3**(3), 9–10
supercritical water reactors, **1**(3), 18
swirl flow effects, **3**(4), 25–7

C

Cadmium, applications as control material, **1**(2), 34; **3**(3), 41–3
epithermal neutron-absorption cross sections, **1**(3), 10–11
neutron absorption, **3**(3), 33–4
neutron cross sections, **1**(3), 13
nuclear properties, **3**(3), 32
radiation effects, **1**(1), 31
shielding properties, **2**(2), 30
Cadmium-113, neutron cross sections, **3**(4), 16
nuclear properties, **3**(3), 32
Cadmium alloys, applications in control rods, **3**(3), 41–3
Cadmium-indium-silver alloys, applications in control rods, **3**(3), 41–3
corrosion by water, **3**(3), 41
neutron absorption, **3**(3), 41
properties, **3**(3), 41–3
radiation effects, **3**(3), 41
Calcium uranate, melting point, **1**(2), 28
Calder Hall Reactors
See Reactor (Calder Hall)
Canadian reactors
See Reactor (NPD-2); Reactor (NRU)
Capacitors, radiation effects, **1**(4), 39
Carpenter 20-Cb, corrosion by nitrogen, **2**(4), 81
Carbon, shielding properties, **2**(2), 30
Carbon dioxide, coolant in gas-cooled heavy-water-moderated reactors, **2**(3), 57–8
coolant properties, **3**(4), 24
corrosion of aluminum, aluminum alloys, cast iron, magnesium, magnesium alloys, and steels, **1**(1), 33
corrosion of beryllium, **2**(4), 69–70
corrosion of stainless steel, **1**(1), 33; **1**(4), 28
corrosion of zirconium and Zircaloy-2, **2**(2), 39–40
oxidation of uranium dioxide, **3**(2), 50
reactor cooling, **1**(1), 33; **1**(4), 28, 57–8; **2**(2), 39–40; **2**(3), 57–9; **2**(4), 67–70; **3**(2), 50; **3**(4), 24
Carbon dioxide–graphite systems, moderator-coolant efficiency, **2**(3), 59
Carbon dioxide–helium systems, corrosion of zirconium and Zircaloy-2, **2**(2), 39–40
Carbon dioxide–water systems, coolant-moderator efficiency, **2**(3), 59
Carbon dioxide–zirconium hydride systems, coolant-moderator efficiency, **2**(3), 59
Carbon monoxide, reactor cooling, **1**(4), 57–8
Cast iron, corrosion by carbon dioxide, **1**(1), 33
Catalytic recombination, deuterium-oxygen systems, **1**(2), 46–8, 56–7
hydrogen-oxygen systems, **1**(2), 48–9, 56–7
Cements
See Concretes
Ceramic materials, radiation effects, **1**(4), 37
Cerium-cobalt-plutonium alloys, fuel for Fast-Reactor Core Test Facility, **3**(2), 68
Cerium oxide–thorium oxide systems, properties, **1**(2), 31
Cerium oxide–uranium dioxide systems
See Uranium dioxide–cerium oxide systems)
Cerium-zirconium alloys, corrosion by uranyl sulfate solutions, **1**(2), 52
Cesium (vapor), thermionic energy converters, **3**(1), 9–11
Chalk River Laboratory, critical experiments, **3**(4), 13
Channels (circular), heat transfer in laminar and turbulent flow, **3**(4), 25
Channels (hot)
See Hot-channel factors
Channels (parallel), two-phase fluid flow, **3**(4), 31–2
Channels (rectangular), burnout, **3**(3), 9–10
Channels (triangular), heat transfer, **3**(4), 24–5
Chlorine, shielding properties, **2**(2), 30
Chromium, nuclear and thermal properties, **1**(2), 39
Chromium–nickel–uranium dioxide systems (Nichrome-V-clad), reactions with water during irradiation, **1**(1), 18–19
Chromium-uranium alloys
See Uranium-chromium alloys

Chromium-zirconium alloys, corrosion by uranyl sulfate solutions, **1**(2), 52
Chugach Power Reactor
See Reactor (Sodium Deuterium)
Cobalt, neutron absorption, **3**(3), 35
Cobalt alloys, radiation effects, **1**(4), 40
Cobalt-cerium-plutonium alloys, fuel for Fast-Reactor Core Test Facility, **3**(2), 68
Coefficient of reactivity, **1**(1), 11–12; **3**(3), 3–4
effects on reactor stability, **1**(1), 13–14
Experimental Boiling-Water Reactor, **1**(1), 14–16
Experimental Breeder Reactor-I, **1**(1), 12–14
Pressurized Test Reactor, **3**(3), 3–4
uranium (Zircaloy-2-clad), **3**(3), 3–4
Columbium
See Niobium
Commissariat à l'Énergie Atomique, critical experiments, **3**(4), 15
Concretes, heat absorption, **1**(1), 20
radiation effects, **2**(2), 31–2
shielding properties, **2**(2), 31–2; **2**(4), 46–7
Conferences, Conference on the Physics of Breeding, Argonne National Lab., Oct. 19–21, 1959, **3**(2), 27–9
Conference on Transfer Functions and Reactor Stability, Argonne National Lab., May 2–3, 1960, **3**(4), 33–7
Second International Conference on the Peaceful Uses of Atomic Energy, Geneva, September 1958, **2**(1), 1–9
Symposium on Gas-Cooled Reactors Sponsored by the Franklin Institute and the Delaware Valley Section of the American Nuclear Society, Philadelphia, Feb. 10–11, 1960, **3**(4), 58–65
Containment, **1**(1), 17–21; **1**(4), 15–17; **2**(3), 22–37; **3**(3), 12–14
See also Reactor safety
Air Force Nuclear Engineering Test Reactor, **2**(3), 26
design of structures, **2**(3), 30; **2**(4), 44–5
Dresden Power Reactor, **2**(3), 27
economics, **2**(3), 29–30
effects of reactor rupture on vessels, **1**(1), 20–1
Elk River Power Reactor, **2**(3), 27
Enrico Fermi Fast-Breeder Reactor, **2**(3), 27
Experimental Boiling-Water Reactor, **2**(3), 25–6; **3**(3), 64
Experimental Breeder Reactor-II, **1**(3), 53; **2**(3), 25, 27
General Electric Test Reactor, **2**(3), 26
Homogeneous Reactor Experiment-II, **2**(3), 27
Humboldt Bay Power Reactor, **3**(3), 12
Indian Point Power Reactor, **2**(3), 26
liquid-metal-fuel reactors, **1**(3), 52
Livermore Pool Test Reactor, **2**(3), 26
MIT Reactor, **2**(3), 26
NASA Research Reactor, **2**(3), 26
N.S. *Savannah* Reactor, **2**(3), 26
Organic-Moderated Reactor Experiment, **1**(4), 42–51; **2**(3), 27
Pathfinder Power Reactor, **2**(3), 27
Piqua Power Reactor, **2**(3), 27
Plutonium Recycle Test Reactor, **2**(3), 27; **3**(3), 54–6
S1G Reactor, **2**(3), 27
Shippingport Pressurized-Water Reactor, **2**(3), 26
SM-1 Reactor, **2**(3), 26
Sodium Graphite Reactor, **2**(3), 27
Sodium Reactor Experiment, **2**(3), 27
underground location of reactors, **2**(3), 33–4
Vallecitos Boiling-Water Reactor, **2**(3), 27
Westinghouse Test Reactor, **2**(3), 26
Yankee Power Reactor, **2**(3), 26
Control, **1**(1), 11–17
Aircraft Reactor Experiment, **3**(3), 45
Calder Hall Reactors, **3**(3), 30, 45
compression springs, **1**(2), 45
control-rod design, **1**(3), 9–13, 34
Dresden Power Reactor, **3**(3), 45
Enrico Fermi Fast-Breeder Reactor, **3**(3), 45
Experimental Boiling-Water Reactor, **3**(3), 28–31, 45
fast reactors, **1**(3), 8–9
homogeneous reactors, **1**(2), 54–6
Indian Point Power Reactor, **3**(3), 45
liquid-metal-fuel reactors, **1**(3), 48–9
ML-1 Reactor, **3**(3), 45
Organic-Moderated Reactor Experiment, **3**(3), 45
Pathfinder Power Reactor, **2**(3), 52
Plutonium Recycle Test Reactor, **3**(3), 53–6
power-distribution effects, **1**(3), 11
pressurized-water reactors, **1**(2), 62–3; **2**(4), 85
principles of application, **3**(3), 26–8
reflectors, **1**(3), 12–13
S1G Reactor, **3**(3), 45
Shippingport Pressurized-Water Reactor, **3**(3), 45
SM-1 Reactor, **3**(3), 40, 45
Sodium Reactor Experiment, **3**(3), 30, 45
Swedish reactor for heating, **3**(3), 30
Vallecitos Boiling-Water Reactor, **3**(3), 45
Veronezh Reactor, **2**(1), 23–4
Yankee Power Reactor, **3**(3), 45
Control materials, **1**(1), 30; **1**(2), 34–5; **3**(3), 26–47
borides, **3**(3), 40
boron, **1**(2), 34; **3**(3), 32
boron-hafnium systems, **1**(2), 34–5
boron-iron systems, **1**(3), 34, 37
boron–stainless steel systems, **3**(3), 34, 38–40
boron-steel systems, **3**(3), 33–40
burnable poisons, **1**(3), 13; **2**(2), 28–9
burnup, **3**(3), 36–7
cadmium, **3**(3), 32, 33–4
cadmium-indium-silver alloys, **3**(3), 41
cobalt, **3**(3), 35
corrosion by water, **3**(3), 40–1
costs, **3**(3), 44
dysprosium, **1**(2), 34; **3**(3), 32, 43–4
dysprosium oxide, **3**(3), 35
epithermal absorption cross section, **1**(3), 10–11

Control materials (Continued)
erbium, **3**(3), 32
erbium oxide, **3**(3), 35
europium, **1**(2), 34; **3**(3), 32, 43–4
europium oxide, **3**(3), 35
europium oxide–stainless steel systems, **3**(3), 34, 40
gadolinium, **3**(3), 32, 43–4
gadolinium oxide, **3**(3), 35
gadolinium-tantalum alloys, **3**(3), 34
gamma heating, **1**(3), 12; **3**(3), 37–8
gold, **3**(3), 35
hafnium, **3**(3), 32, 33–5, 42, 43
Haynes-25, **3**(3), 34
holmium oxide, **3**(3), 35
indium, **3**(3), 32, 34–5
iridium, **3**(3), 32
lithium, **3**(3), 32
lutetium, **3**(3), 32
lutetium oxide, **3**(3), 35
mercury, **3**(3), 32
rare earths, **3**(3), 43–4
rhenium, **3**(3), 32
rhodium, **3**(3), 32
samarium, **1**(2), 34; **3**(3), 32, 43–4
samarium oxide, **3**(3), 35
samarium oxide–stainless steel systems, **3**(3), 34
silver, **3**(3), 32, 34–5
tantalum, **3**(3), 34–5
terbium oxide, **3**(3), 36
thulium oxide, **3**(3), 36
titanium, **3**(3), 34
tungsten, **3**(3), 36
variation in worth, **1**(3), 12
ytterbium oxide, **3**(3), 36
Convection (forced), heat transfer, **3**(4), 25–7
steam slip in boiling water, **3**(4), 28–9
supercritical water reactors, **1**(3), 18
Coolant contamination, BORAX-IV Reactor, **2**(1), 22–3
Experimental Boiling-Water Reactor, **2**(1), 22
Coolant flow, Engineering Test Reactor, **3**(2), 34–5
Gas-Cooled Reactor Experiment, **2**(4), 79–80
Coolant purification, Experimental Boiling-Water Reactor, **2**(1), 22–3
gas-cooled reactors, **2**(1), 32
Organic-Moderated Reactor Experiment, **1**(4), 44
Shippingport Pressurized-Water Reactor, **2**(4), 74–6
Coolants, aluminum (liquid), **1**(2), 40
biphenyl, **2**(4), 42
bismuth (liquid), **1**(2), 40
bismuth-lead alloys (liquid), **1**(2), 40
carbon dioxide, **1**(1), 33; **1**(4), 28, 57–8; **2**(2), 39–40; **2**(3), 57–9; **2**(4), 69–70; **3**(2), 50; **3**(4), 24
carbon monoxide, **1**(4), 57–8
decomposition in Organic-Moderated Reactor Experiment, **3**(2), 70
deuterium oxide, **3**(3), 53–6
dissociation in water-cooled reactors, **2**(1), 21–2
gallium (liquid), **1**(2), 40
gas-cooled reactors, **1**(4), 57–8
helium, **1**(4), 25, 57–8; **2**(3), 55–6, 59–61; **2**(4), 83–5; **3**(2), 38
helium-graphite systems, **2**(3), 59
hydrogen, **1**(4), 57–8
liquid metals, **1**(2), 40
neon, **1**(4), 57–8
nitrogen, **1**(4), 57–8; **2**(3), 61; **2**(4), 79–81
nitrogen-graphite systems, **3**(4), 24
organic-moderated reactors, **1**(4), 45–8
physical properties, **1**(3), 48
Santowax M, **3**(1), 19
Santowax O, **3**(1), 19
Santowax O-M, **1**(4), 45; **2**(4), 42
Santowax R, **2**(4), 42
Copper, heat transfer, **1**(1), 6
radiation effects, **1**(4), 40
shielding properties, **2**(2), 30
solubility in liquid bismuth, **1**(3), 50
welding, **2**(2), 33
Copper-uranium alloys, properties, **1**(2), 28
Critical assemblies, core physics, **3**(1), 15–17
graphite-moderated beryllium-reflected, **1**(3), 6
Critical experiments, **3**(4), 12–16
Criticality, **1**(4), 5
boiling effects, **1**(3), 20–1; **3**(4), 34–5
Cross sections
See Neutron cross sections
Czechoslovakia Gas-Cooled Reactor, refueling, **2**(4), 61

D

Danger coefficient, **1**(2), 11
Decontamination, fuel-element surfaces, **3**(3), 24–5
Shippingport Pressurized-Water Reactor, **2**(4), 76–7
Departure from nucleate boiling, definition, **3**(4), 27
Deuterium, determination in deuterium oxide–water systems, **2**(2), 45–6
Deuterium oxide, Plutonium Recycle Test Reactor cooling, **3**(3), 53–6
Deuterium oxide–water moderated systems, neutron age, **1**(2), 4–5
Deuterium oxide–water systems, deuterium determination, **2**(2), 45–6
neutron moderation, **2**(2), 10
Deuterium-oxygen systems, catalytic recombination, **1**(2), 46–8, 56–7
Doppler coefficient, measurement in Physical Constants Testing Reactor, **3**(2), 31–2
uranium-238, **2**(2), 13–14
Dounreay Reactor, core design, **1**(4), 24
Dowtherm-A, radiation effects, **1**(4), 38
Dragon Reactor, design, **3**(4), 58
Dresden Power Reactor
See Reactor (Dresden Power)
Dural, heat transfer, **1**(1), 6

Dutch-Norwegian Establishment for Nuclear Energy Research, exponential experiments, **3**(4), 13
Dysprosium, applications as control material, **1**(2), 34; **3**(3), 32, 43–4
Dysprosium-164, nuclear properties, **3**(3), 32
Dysprosium oxide, melting point, **1**(2), 28
neutron absorption, **3**(3), 35

E

East Central Nuclear Group–Florida West Coast Nuclear Group Reactor
See Reactor (Florida Power)
Economics of nuclear power, **1**(1), 4; **2**(3), 1–12; **2**(4), 1–30; **3**(2), 1–12
beryllium costs, **2**(4), 71
boiling-water reactors, **2**(4), 2, 3, 4, 11–16; **3**(2), 1–2, 4, 7, 8, 10
containment costs, **1**(4), 16–17; **2**(3), 29–30
control-rod costs, **3**(3), 44
enriched-uranium costs, **1**(1), 1; **3**(2), 19
fast-breeder reactors, **3**(2), 2, 4
fuel elements, **1**(2), 18–19
fuel reprocessing, **1**(1), 2
gas-cooled reactors, **1**(4), 53–5; **3**(2), 2, 3–4
heavy-water reactors, **2**(2), 44–8; **2**(4), 2, 3, 4, 22–30; **3**(2), 2, 4, 52–8
homogeneous reactors, **1**(2), 59–60; **3**(2), 2, 4
industrial process heat, **2**(3), 4–5
liquid-metal-fuel reactors, **1**(3), 53–4
marine reactors, **2**(2), 1–6; **2**(3), 13–16; **3**(2), 13–18
New Production Reactor, **3**(4), 75–7
organic-cooled and -moderated reactors, **2**(4), 2, 3, 16–21; **3**(2), 2–3, 4, 7–9
Organic-Moderated Reactor Experiment, **1**(4), 49–50
pressurized-water reactors, **2**(4), 2, 3, 4–11, 14–15; **3**(2), 1–2, 4, 9–10
Sodium Deuterium Reactor, **3**(2), 56–7
sodium graphite reactors, **3**(2), 2–3, 4
test reactors, **1**(4), 64
waste problems, **3**(4), 1–11
Elastomers, radiation effects, **1**(4), 37, 39
Electrical components, radiation effects, **1**(3), 40; **1**(4), 38–9
Electrical insulation, **1**(4), 39
Electrochemical power, direct conversion of nuclear energy, **3**(3), 48–50
Electrocladding, fuel elements with aluminum, **2**(2), 34
Electrons, effect on glycerine, **1**(4), 38
Elk River Power Reactor, containment, **2**(3), 27
Embrittlement, radiation effects, **3**(4), 38–57
Engineering Test Reactor
See Reactor (Engineering Test)
Engines, radiation effects, **1**(4), 39
Engines (nuclear gas, reciprocating), **2**(3), 62–3
Enrico Fermi Reactor
See Reactor (Enrico Fermi Fast Breeder)
Erbium, nuclear properties, **3**(2), 32
Erbium oxide, neutron absorption, **3**(3), 35
Europium, application as control material, **1**(2), 34; **3**(3), 32, 43–4
neutron cross sections, **1**(3), 13
Europium-151, nuclear properties, **3**(3), 32
Europium-155, neutron cross sections, **3**(4), 16
Europium oxide, melting point, **1**(2), 28
neutron absorption, **3**(3), 35
Europium oxide (stainless-steel-clad), applications as control material, **3**(3), 34
fabrication, **1**(2), 34
Europium oxide–stainless steel systems, neutron absorption, **3**(3), 34
Europium oxide–stainless steel systems (stainless-steel-clad), control rods in SM-1 Reactor, **3**(3), 40
Evaporators, waste-disposal applications, **1**(2), 45
Experimental Boiling-Water Reactor
See Reactor (Experimental Boiling-Water)
Experimental Breeder Reactors
See Reactor (Experimental Breeder)
Exponential experiments, **3**(4), 12–16

F

Fast-fission factor, definition, **1**(1), 4
Fast-Reactor Core Test Facility
See Reactor (Fast, Core Test Facility)
Ferrite, radiation effects, **3**(1), 37–8
Finned fuel elements, Calder Hall Reactors, **1**(1), 5
Finned tubes
See Tubes (finned)
Fission gas
See also Fission products
release from uranium dioxide fuel, **1**(1), 25–6; **1**(2), 24
Fission-neutron age, indium, **2**(4), 31–3
Fission products
See also Fission gas; Reactor wastes
buildup in recycled fuels, **1**(4), 19; **2**(2), 42–3
decay energy, **1**(4), 5; **2**(4), 34; **3**(4), 2–5
neutron cross sections, **3**(4), 16
reactor poisoning, **3**(4), 12, 16–19
release from fluid-fuel reactors, **1**(4), 14–15
release from uranium dioxide fuel elements, **1**(4), 25, 28
release from uranium dioxide–silicon carbide–silicon fuel elements, **1**(2), 24
release from uranium fuel elements, **1**(4), 26–7, 29
from uranium-235, **3**(3), 15
Fissium-molybdenum-uranium alloys, nuclear properties, **1**(4), 29
Fissium-uranium alloys
See Uranium-fissium alloys
Fissium-uranium-plutonium alloys, nuclear properties, **1**(1), 25
Fixation, reactor wastes, **3**(4), 7–8
Florida Power Reactor, **3**(2), 54

Fluid flow, **3**(1), 18–23; **3**(2), 34–9; **3**(3), 7–11; **3**(4), 22–32
See also Gas flow
parallel-channel flow of two-phase, **3**(4), 31–2
Fluid flow (laminar), heat transfer in circular channels, **3**(4), 25
Fluid flow (turbulent), heat transfer, **3**(3), 8–9
heat transfer in circular channels, **3**(4), 25
Fluid-fuel reactors
See Reactors (fluid-fuel)
Fluidized-bed reactors, design, **3**(1), 61–3
Fluorides (fused), corrosion of Hastelloy B, Hastelloy W, Inconel, and Inconel X, **1**(3), 39
Fluorine, shielding properties, **2**(2), 30
Formex, radiation effects, **1**(4), 38
Friction coefficients, gases, **3**(2), 38
Fuel breeding
See Breeding
Fuel cells, direct conversion of nuclear energy, **3**(3), 48–50
Fuel cycles, **1**(4), 19–21; **3**(3), 15–23
Homogeneous Reactor Experiment-II, **1**(2), 51
liquid-metal-fuel reactors, **1**(3), 47
uranium-236 problems, **2**(2), 42
Fuel elements, **1**(2), 18–33; **1**(3), 24–36; **1**(4), 22–35; **2**(3), 40–50
bonding with lead, **2**(2), 34
BORAX-IV Reactor, **1**(4), 12, 30
burnout, **1**(3), 17–18; **1**(4), 7–8; **2**(4), 39–42
Calder Hall Reactors, **1**(4), 32
damage in Sodium Reactor Experiment, **3**(2), 60–4
decontamination of surfaces, **3**(3), 24–5
design, **1**(1), 21–9
economics, **1**(1), 1–2, 21–9; **1**(2), 18–19
electrocladding with aluminum, **2**(2), 34
Experimental Boiling-Water Reactor, **1**(4), 31; **3**(3), 62
Experimental Breeder Reactor-II, **1**(2), 22–4
Experimental Gas-Cooled Reactor, **2**(3), 55–6; **3**(4), 59–62
fabrication methods, **1**(2), 27–8; **1**(3), 24–5; **3**(2), 42–4, 45
Fast-Reactor Core Test Facility, **3**(2), 68
fast reactors, **1**(2), 67; **1**(4), 32
fission-product buildup in recycled, **1**(4), 19; **2**(2), 42–3
fission-product release, **1**(4), 25–9
fluidized-bed reactors, **3**(1), 61–2
Gas-Cooled Reactor Experiment, **2**(3), 61; **2**(4), 79, 80–1
gas-cooled reactors, **1**(4), 27–8, 31–2, 55–7
handling of irradiated, **2**(4), 55
heat transfer and burnout at high pressure, **2**(4), 39–42
heat transfer and burnout in MTR-ETR type, **2**(4), 36–9
heavy-water reactors, **3**(2), 52–8
homogeneous reactors, **1**(2), 47–8, 49–50, 52–3
isotope buildup in recycled, **1**(4), 19; **2**(2), 42–3
lead bonding, **1**(4), 30
limitations of Magnox cladding, **1**(4), 32
materials, **1**(1), 17–20, 27
melting in MTR, **1**(4), 15
melting in S1W Reactor, **1**(4), 15
melting in SM-1 Reactor, **1**(4), 15
MTR-ETR type hydrodynamic characteristics, **3**(1), 18–19
Pathfinder Power Reactor, **2**(3), 52
pebble-bed reactors, **2**(3), 40–2, 56–7
plutonium, **1**(2), 42–3
plutonium-aluminum alloys (Zircaloy-2-clad), **1**(3), 28
plutonium-cerium-cobalt alloys, **3**(2), 68
plutonium-iron alloys, **3**(2), 68
plutonium-reactivity, lifetime, **3**(3), 15–20
Plutonium Recycle Test Reactor, **3**(3), 53–6
radiation effects, **1**(1), 20; **3**(2), 43–4, 45, 59; **3**(4), 66–7
reactions with water during irradiation, **1**(1), 18–19
reactivity lifetime, **3**(3), 15
reenrichment by blending of recycled, **1**(4), 20–1
rupture in high-temperature water, **1**(2), 31
Shippingport Pressurized-Water Reactor, **1**(4), 31; **2**(2), 34
Sodium Graphite Reactor, **3**(2), 59–60
specifications for SM-1 Reactor, **1**(3), 40
stainless-steel cladding, **1**(3), 39; **1**(4), 30
temperature coefficient of reactivity, **3**(3), 3–4
thermal conductivity of uranium dioxide, **3**(2), 44–5, 46–9
thermal-neutron-flux distribution, **3**(2), 32
thorium oxide, **1**(4), 30
TURRET Reactor, **2**(4), 83
uranium alloy type, **1**(4), 29
uranium-bismuth alloys, **1**(3), 42–55
uranium dioxide–sodium potassium slurries, **1**(2), 44
uranium dioxide–thorium oxide systems (aluminum-nickel alloy clad), **1**(3), 33
uranium dioxide type, **1**(2), 67; **1**(4), 25, 28, 30, 32; **2**(3), 55–6; **3**(2), 42–4, 45; **3**(4), 59–62
uranium-graphite systems, **2**(3), 40–7
uranium-magnesium alloys, **2**(3), 47–50
uranium type, **1**(4), 26, 27, 31–2
uranium-zirconium alloys, **3**(2), 59–60
uranium-zirconium alloys (Zircaloy-clad), **1**(4), 31
Veronezh Reactor, **2**(1), 23–4
welding, **2**(2), 33–4
Zircaloy cladding, **1**(4), 30
Fuel elements (aluminum-clad), fabrication, **1**(2), 39
Fuel elements (finned), Calder Hall Reactors, **1**(1), 5
Fuel elements (magnesium-alloy-clad), limitations, **1**(4), 32
Fuel elements (pellets), erosion by high-temperature water, **1**(2), 31
Fuel elements (plates), hydrodynamic characteristics, **3**(1), 18–19
Fuel elements (rods), buckling, **1**(3), 1–5
corrosion by high-temperature water, **1**(2), 32
resonance absorption in uranium, **1**(3), 9

Fuel elements (stainless-steel-clad), dissolution, I(2), 39
Fuel elements (tubes), heat transfer, 3(1), 22–3
hydrodynamic characteristics, 3(1), 22–3
Fuel reprocessing, costs, I(1), 2
homogeneous reactors, I(2), 48, 50–2
liquid-metal-fuel reactors, I(3), 49–50
S1W Reactor, I(2), 31
Thorex Process, I(2), 51
TURRET Reactor, 2(4), 83
Fuel rods
See Fuel elements (rods)
Fuel tubes
See Fuel elements (tubes)
Fuels
See Fuel elements
Fused fluoride salts
See Fluorides (fused)
Fused-salt-fuel reactors, I(2), 69
design, 3(1), 54

G

G2 Reactor, refueling, 2(4), 60, 64
G3 Reactor, refueling, 2(4), 60, 64
Gadolinium, applications as control material, I(2), 34; 3(3), 32, 43–4
neutron cross sections, I(3), 13; 3(4), 16
Gadolinium oxide, melting point, I(2), 28
neutron absorption, 3(3), 35
Gadolinium oxide–stainless steel systems, radiation effects, I(1), 31
Gadolinium oxide–titanium systems, radiation effects, I(1), 31
Gadolinium-tantalum alloys, neutron absorption, 3(3), 34
Gallium (liquid), coolant properties, I(2), 40
Gamma heating, control rods, I(3), 12; 3(3), 37–8
Gamma radiation, effects on glycerine, I(4), 38
Gas-cooled heavy-water-moderated reactors, design, 2(1), 29–30; 2(3), 57–8
Gas-Cooled Reactor Experiment
See Reactor (Gas-Cooled, Experiment)
Gas-cooled reactors
See Reactors (gas-cooled)
Gas flow
See also Fluid flow
heat transfer from finned tubes, I(1), 5–11; 3(2), 38
Gas Suspension Coolant Project, 3(4), 22–4
Gases, heat transfer, 2(2), 23–7; 3(2), 37–8; 3(4), 22–4
properties, 2(2), 26–7
Generators (magnetohydrodynamic), applications to nuclear power, 3(3), 48–50
Germanium-uranium alloys
See Uranium-germanium alloys
Glass (boron), neutron absorption, 3(3), 36
Glazes, corrosion, I(3), 38–9
Glycerine, radiation effects, I(4), 38
Gold, neutron absorption, 3(3), 35
welding, 2(2), 33
Gold-197, neutron cross sections, I(3), 13
Graphite, impregnation with uranium, 2(3), 41–2
lattice buckling, I(2), 5–7; I(3), 5–6
moderating properties, 2(2), 10; 3(3), 1–3
moderation of liquid-metal-fuel reactors, I(3), 46
neutron cross sections, 2(2), 36
nuclear properties, I(1), 31
physical properties, I(1), 3
properties, 2(2), 36–7
radiation effects, 2(2), 37–8
temperature effects in lattices, I(3), 6–7
Graphite-bismuth systems, neutron moderation, 2(2), 10
Graphite–carbon dioxide systems, moderator-coolant efficiency, 2(3), 59
Graphite-helium systems, moderator-coolant efficiency, 2(3), 59
Graphite-moderated reactors
See Reactors (graphite-moderated)
Graphite-moderated systems, neutron age, I(2), 5–7
Graphite-moderated water-cooled reactors
See Reactors (graphite-moderated water-cooled)
Graphite-nitrogen systems, coolant properties, 3(4), 24
Graphite–uranium dioxide systems, radiation effects, I(2), 26
Graphite-uranium systems
See Uranium-graphite systems

H

Hafnium, applications as control material, I(2), 34; 3(3), 32, 33–5, 42, 43
neutron cross sections, I(3), 10–11, 13
Halden Reactor, refueling, 2(4), 57
Hanford Atomic Products Operation, critical and exponential experiments, 3(4), 13, 14, 15, 16
Hanford Production Reactors, fuel-element rupture tests, I(2), 31
Hastelloy 8286, corrosion by nitrogen, 2(4), 81
Hastelloy B, corrosion by fused fluorides, I(3), 39–40
Hastelloy R-235, corrosion by nitrogen, 2(4), 81
Hastelloy W, corrosion by fused fluorides, I(3), 39
Hastelloy X, corrosion by nitrogen, 2(4), 81
Haynes-25, neutron absorption, 3(3), 34
Health physics, radiation tolerances, 2(4), 47–8
Heat exchangers
See also Boilers
liquid-metal-fuel reactors, I(3), 53
Heat transfer, I(1), 5–11; I(3), 17–19; I(4), 7–9; 2(4), 36–43; 3(1), 18–23; 3(2), 34–9; 3(3), 7–11; 3(4), 22–32
burnout in rectangular channels, 3(3), 9–10
burnout limits of polyphenyls, 2(3), 20–1
Calder Hall Reactors, I(1), 5–11
gas-cooled systems, 2(2), 23–7
liquid-metal-fuel reactors, I(3), 47–8

Heat transfer (Continued)
pressure vessels, 1(1), 20
vortex flow, 3(4), 25–7
Heavy hydrogen
See Deuterium
Heavy water
See Deuterium oxide
Heavy-Water Components Test Reactor, 3(2), 54–5
Heavy-water-moderated reactors
See Reactors (heavy-water-cooled and -moderated)
Helium, coolant in Experimental Gas-Cooled Reactor, 2(3), 55–6
coolant in Maritime Gas-Cooled Reactor, 2(3), 59–61
coolant in TURRET Reactor, 2(4), 83–5
heat transfer, 3(2), 38
reactor cooling, 1(4), 25, 57–8
Helium–carbon dioxide systems
See Carbon dioxide–helium systems
Helium-graphite systems, coolant-moderator efficiency, 2(3), 59
High-Temperature Gas-Cooled Reactor
See Reactor (Peach Bottom)
Hinkley Point Reactors
See Reactor (Hinkley Point)
Holmium oxide, neutron absorption, 3(3), 35
Homogeneous Reactor Experiment-II
See Reactor (Homogeneous Experiment-II)
Homogeneous Reactor Test
See Reactor (Homogeneous Experiment-II)
Homogeneous reactors
See Reactors (homogeneous)
Hot-channel factors, 2(4), 42–3
Engineering Test Reactor, 3(3), 7
Gas-Cooled Reactor Experiment, 3(4), 30–1
Human tissue, radiation effects, 1(4), 37
Humboldt Bay Power Reactor, containment, 3(3), 12
Hunterston Reactors, refueling, 2(4), 61, 65
Hydrocarbons, radiation effects, 1(4), 39
Hydrofluoric acid–nitric acid systems, corrosion of stainless steel, 1(2), 39
Hydrofluoric acid–nitric acid–water systems, decontamination efficiency, 3(3), 24–5
Hydrogen, corrosion of beryllium, 2(4), 69
neutron cross sections, 1(3), 13
reactor cooling, 1(4), 57–8
shielding properties, 2(2), 30
Hydrogen-oxygen systems, catalytic recombination, 1(2), 48–9, 56–7

I

Inconel, corrosion by fused fluorides, 1(3), 39
Inconel 702, corrosion by nitrogen, 2(4), 81
Inconel X, corrosion by fused fluorides, 1(3), 39
Indian Point Power Reactor
See Reactor (Indian Point Power)
Indium, application as control material, 3(3), 32, 34–5
fission-neutron age, 2(4), 31–3
neutron cross sections, 1(3), 13
Industrial process heat, economics of nuclear power, 2(3), 4–5
reactor applications, 3(1), 1–5
Insulation (electrical), radiation effects, 1(3), 40; 1(4), 39
Insulation (thermal), Gas-Cooled Reactor Experiment, 2(4), 81–2
Refrasil, 2(4), 82
Thermoflex, 2(4), 82
Iridium, nuclear properties, 3(3), 32
Iridium-191, nuclear properties, 3(3), 32
Iridium-193, nuclear properties, 3(3), 32
Iron, neutron cross sections, 2(2), 10
neutron interactions, 3(2), 40
shielding properties, 2(2), 30
solubility in liquid bismuth, 1(3), 50
Iron-aluminum alloys, radiation effects, 3(1), 37–8
Iron-boron systems
See Boron-iron systems
Iron limonite concrete, shielding properties, 2(4), 46
Iron-nickel alloys, radiation effects, 3(1), 37–8
Iron-plutonium alloys, fuel for Fast-Reactor Core Test Facility, 3(2), 68
Iron-silicon systems, radiation effects, 3(1), 37–8
Iron-uranium alloys
See Uranium-iron alloys
Irradiated fuels
See Fuel elements

K

Kaiser Gas-Cooled Reactor
See Reactor (Experimental Gas-Cooled)
Kinetic Experiment on Water Boilers
See Reactor (Kinetic Experiments on Water Boilers)
Knolls Atomic Power Laboratory, critical experiments, 3(4), 14

L

LAMPRE, 3(2), 65–9
Lattices, buckling, 1(3), 1–6
design, 1(2), 1–15
Experimental Boiling-Water Reactor, 3(3), 62
exponential measurements on biphenyl-moderated, 1(3), 14
theory, importance of accuracy, 1(1), 3–5
Lattices (graphite-moderated), buckling, 1(2), 5–7; 1(3), 5–6
measurements for uranium dioxide rods, 2(3), 18–19
measurements for uranium rods, 2(3), 18–19

Lattices (graphite-moderated) (Continued)
Organic-Moderated Reactor Experiment, **1**(4), 42–4
temperature effects, **1**(3), 6–7
Lattices (heavy-water-moderated), **1**(2), 1–5
buckling measurements, **1**(2), 2–4; **1**(4), 2; **3**(2), 30–1
gas-cooled heavy-water-moderated reactors, **2**(3), 57–8
physics, **2**(3), 17–19
Lead, bonding of fuel elements, **2**(2), 34
neutron interactions, **3**(2), 40
properties, **1**(4), 25
shielding properties, **2**(2), 30
Lead-bismuth alloys, coolant properties, **1**(2), 40
Leak detection, heavy-water reactors, **2**(2), 46
Leather, radiation effects, **1**(4), 39
Lenin Reactor, design, **2**(2), 3
Lid Tank Shielding Facility, neutron-cross-section determinations, **2**(2), 30
Liquid Metal Fuel Reactor, design, **3**(1), 54
Liquid Metal Fuel Reactor Experiment, design, **1**(3), 42–4, 54–5
Liquid-metal-fuel reactors
See Reactors (liquid-metal-fuel)
Liquid metals
See Metals (liquid)
Lithium, nuclear properties, **3**(3), 32
shielding properties, **2**(2), 30
Lithium (liquid), coolant properties, **1**(2), 40
Lithium chloride–potassium chloride systems (fused), physical properties, **1**(3), 48
Lithium hydride, radiation effects, **1**(1), 31
shielding properties, **1**(1), 31
Lithium sulfate, inhibition of uranyl sulfate corrosion of stainless steel and Zircaloy-2, **1**(2), 53
Livermore Pool Test Reactor, containment, **2**(3), 26
Loeffler boilers, **3**(2), 13–14
Los Alamos Molten Plutonium Reactor Experiment, **3**(2), 65–9
Los Alamos plasma thermocouple, **3**(1), 11–13
Los Alamos Scientific Laboratory, critical experiments, **3**(4), 16
Lucite, radiation effects, **1**(4), 37
Lutetium, nuclear properties, **3**(3), 32
Lutetium oxide, neutron absorption, **3**(3), 35

M

Magnesium, corrosion by carbon dioxide, **1**(1), 33
corrosion by polyphenyls, **1**(4), 44–5
physical properties, **2**(3), 47
properties, **1**(4), 23
solubility in liquid bismuth, **1**(3), 50
welding, **2**(2), 33
Magnesium (liquid), coolant properties, **1**(2), 40
Magnesium alloys
See also Magnox
corrosion by carbon dioxide, **1**(1), 33
radiation effects, **1**(4), 40
Magnesium oxychloride cement, radiation effects, **1**(1), 31
shielding properties, **1**(1), 31
Magnesium uranate, melting point, **1**(2), 28
Magnesium-uranium alloys
See Uranium-magnesium alloys
Magnesium-zirconium couples, diffusion, **1**(2), 30
Magnetic materials, radiation effects, **3**(1), 37–8
Magnetite concrete, shielding properties, **2**(4), 46
Magnetite limonite concrete, shielding properties, **2**(4), 46
Magnetohydrodynamic generators, applications to nuclear power, **3**(3), 48–50
Magnox, heat transfer, **1**(1), 5–11
limitations as fuel-element cladding material, **1**(4), 32
Magnox A-12, properties, **1**(4), 23, 27
Magnox C, corrosion by carbon dioxide, **1**(1), 33
radiation effects, **1**(1), 32–3
Magnox E, corrosion by carbon dioxide, **1**(1), 33
radiation effects, **1**(1), 32–3
Maintenance procedures, Homogeneous Reactor Experiment-II, **1**(2), 58–9
homogeneous reactors, **1**(2), 57–9
liquid-metal-fuel reactors, **1**(3), 52
Pennsylvania Advanced Reactor, **1**(2), 59
Manganese-uranium alloys, properties, **1**(2), 28
Marine reactors
See Reactors (marine)
Martin Power Reactor, core physics, **3**(1), 15
Materials Testing Reactor
See Reactor (Materials Testing)
Maxwell-Boltzmann neutron energy spectrum, **1**(3), 14
Merchant vessel power plants
See Reactors (marine)
Mercury, coolant properties, **1**(2), 40
nuclear properties, **3**(3), 32
Metals, radiation effects, **1**(4), 37
Metals (liquid), coolant properties, **1**(2), 40
heat transfer, **3**(1), 21–2
reactions with water, **1**(1), 18; **3**(1), 30–3
Metaterphenyl, nucleate boiling, **3**(1), 19
Microswitches, radiation effects, **1**(4), 39
MIT Reactor, containment, **2**(3), 26
ML-1 Reactor
See Reactor (ML-1)
Moderators, beryllium, **1**(3), 46
bismuth-graphite systems, **2**(2), 10
carbon dioxide–water systems, **2**(3), 59
carbon dioxide–zirconium hydride systems, **2**(3), 59
control in pressurized-water reactors, **2**(4), 85
deuterium oxide in Plutonium Recycle Test Reactor, **3**(3), 53–6
deuterium oxide–water systems, **1**(2), 4–5; **2**(2), 10
graphite, **1**(1), 31; **1**(3), 46; **2**(2), 10; **3**(3), 1–3
graphite-helium systems, **2**(3), 59
homogeneous reactors, **1**(2), 48
materials, **1**(2), 35–8

Moderators (Continued)
physical properties, 1(1), 31
power flattening by variation of properties, 3(3), 4–5
radiation effects, 1(1), 31
water, 2(2), 9–10
zirconium hydride, 1(3), 37
Molten fluoride reactors
See Reactors (fused-salt-fuel)
Molybdenum, nuclear properties, 1(2), 39
radiation effects, 1(4), 40
solubility in liquid bismuth, 1(3), 50
thermal properties, 1(2), 39
Molybdenum-fissium-uranium alloys, nuclear properties, 1(4), 29
Molybdenum–thorium oxide systems, thermal properties, 1(2), 28, 30
Molybdenum-uranium alloys
See Uranium-molybdenum alloys
Molybdenum–uranium dioxide systems, properties, 1(2), 31

N

NaK, coolant properties, 1(2), 40
NASA Research Reactor, containment, 2(3), 26
National Reactor Test Station, critical experiments, 3(4), 14
Neon, reactor cooling, 1(4), 57–8
Neptunium-237, neutron cross sections, 1(3), 13; 2(2), 16
Neutron age, calculation methods, 2(2), 15–16
deuterium oxide–water moderated systems, 1(2), 4–5
graphite-moderated systems, 1(2), 5–7
Neutron cross sections, 2(2), 16
americium-241, 1(3), 13
cadmium, 1(3), 10–11, 13; 3(3), 34
cadmium-113, 3(4), 16
cadmium-indium-silver alloys, 3(3), 41
determination in fission-product mixtures, 3(4), 12–19
europium, 1(3), 13
europium-155, 3(4), 16
fission products of uranium-235, 3(4), 16
gadolinium, 1(3), 13
gadolinium-155, 3(4), 16
gadolinium-157, 3(4), 16
gold-197, 1(3), 13
graphite, 2(2), 36
hafnium, 1(3), 10–11, 13
hydrogen, 1(3), 13
indium, 1(3), 13
iron, 2(2), 10
Lid Tank Shielding Facility, 2(2), 30
Maxwell–Boltzmann neutron energy spectrum, 1(3), 14
measurement, 1(2), 11–12
neptunium-237, 1(3), 13; 2(2), 16
plutonium-239, 1(3), 13; 2(2), 17
plutonium-240, 1(3), 13; 1(4), 4–5; 2(2), 16
plutonium-241, 1(3), 13; 1(4), 5
samarium-149, 1(3), 13; 2(2), 16; 3(4), 16
stainless steel, 2(2), 10
uranium-233, 1(3), 13; 2(2), 17
uranium-234, 1(3), 13
xenon-135, 1(3), 13; 3(4), 16
Neutron economy, liquid-metal-fuel reactors, 1(3), 46–7
Neutron energy spectra, thermal-energy range, 1(2), 6–9; 1(4), 5
Neutrons
See also Radiation effects
absorption by aluminum, 3(3), 34
delayed, in reactors, 3(1), 24–5
distribution prediction in shields, 3(2), 40
distribution of thermal in fuels, 3(2), 32
distribution of thermal in Physical Constants Test Reactor, 3(3), 1–3
economy in heavy-water reactors, 1(1), 38–40
flux-distribution determination, 3(3), 5
interactions in iron, lead, nitrogen, and oxygen, 3(2), 40
moderation, 2(2), 7–10
resonance escape calculation for uranium, uranium dioxide, thorium, and thorium oxide, 1(1), 4
resonance escape probability, 1(2), 9–10
thermalization theory, 1(2), 8–9
New Production Reactor, design and economics, 3(4), 75–7
Nichrome-V–Water systems, chemical reactions during irradiation, 1(1), 18–19
Nickel, properties, 1(2), 39
shielding properties, 2(2), 30
solubility in liquid bismuth, 1(3), 50
welding, 2(2), 33
Nickel alloys, corrosion by nitrogen, 2(4), 81
radiation effects, 1(4), 40
Nickel-aluminum alloys
See Aluminum-nickel alloys
Nickel–chromium–uranium dioxide systems (Nichrome-V-clad), reactions with water during irradiation, 1(1), 18–19
Nickel-iron alloys, radiation effects, 3(1), 37–8
Nickel-uranium alloys
See Uranium-nickel alloys
Niobium, properties, 1(2), 39; 1(4), 23, 29
reactions with uranium, 1(4), 29
solubility in liquid bismuth, 1(3), 50
Niobium oxide–uranium dioxide systems, thermal conductivity, 3(2), 49
Niobium–thorium oxide systems, properties, 1(2), 31
Niobium-uranium alloys
See Uranium-niobium alloys
Niobium–uranium dioxide systems, properties, 1(2), 31
Niobium-uranium-zirconium alloys
See Uranium-niobium-zirconium alloys

Niobium-zirconium alloys, corrosion by uranyl sulfate solutions, **1**(2), 52
Nitric acid–hydrofluoric acid systems, corrosion of stainless steel, **1**(2), 39
Nitric acid–hydrofluoric acid–water systems, decontamination efficiency, **3**(3), 24–5
Nitrogen, coolant in Gas-Cooled Reactor Experiment, **2**(3), 61; **2**(4), 79–81
corrosion of beryllium, **2**(4), 69
corrosion of Carpenter 20-Cb, Hastelloy 8286, Hastelloy R-235, Hastelloy X, Inconel 702, and nickel alloys, **2**(4), 81
corrosion of stainless steel, **3**(1), 38–40
neutron interactions, **3**(2), 40
reactor cooling, **1**(4), 57–8
Nitrogen-graphite systems, coolant properties, **3**(4), 24
Nondestructive testing, Zircaloy-2 tubing, **1**(2), 45
NPD Reactor, refueling, **2**(4), 58–63
NRU Reactor, refueling, **2**(4), 58–63
Nuclear data, **1**(4), 5
Nuclear energy, direct conversion to useful power, **3**(3), 48–50
Nuclear gas engines, **2**(3), 61–2
Nuclear physics
See Reactor physics
Nuclear power, evaluation of various reactor designs, **3**(3), 51–2
Nuclear radiation
See Radiation effects; specific types of nuclear radiation
Nuclear superheaters
See Superheaters (Nuclear)
Nucleate boiling
See Boiling (nucleate)
Nylon, radiation effects, **1**(4), 37

O

Oak Ridge National Laboratory, critical experiments, **3**(4), 14, 16
Obninsk Reactor, refueling, **2**(4), 59
Organic materials, radiation effects, **1**(3), 40
Organic-moderated reactors
See Reactors (organic-cooled and -moderated)
ORNL Graphite Reactor, shielding, **2**(2), 31
Orthoterphenyl, nucleate boiling, **3**(1), 19
Oxygen, corrosion of beryllium, **2**(4), 69
neutron interactions, **3**(2), 40
shielding properties, **2**(2), 30
Oxygen-deuterium systems, catalytic recombination, **1**(2), 46–8, 56–7
Oxygen-hydrogen systems, catalytic recombination, **1**(2), 48–9, 56–7

P

PAR
See Reactor (Pennsylvania Advanced)
Parr Shoals Reactor, **3**(2), 54
Pathfinder Power Reactor
See Reactor (Pathfinder Power)
PCTR
See Reactor (Physical Constants Testing)
Peach Bottom Reactor, design, **3**(4), 58
Pebble Bed Reactor, design, **2**(3), 56–7; **3**(4), 59
Pennsylvania Advanced Reactor
See Reactor (Pennsylvania Advanced)
Pentalene, radiation effects, **1**(4), 38
Perspex, radiation effects, **1**(3), 40
Phosphates, corrosion of aluminum alloys, **1**(2), 40
Phosphorus pentoxide–uranium systems, melting point, **1**(2), 28
Physical Constants Testing Reactor
See Reactor (Physical Constants Testing)
Piqua Power Reactor, containment, **2**(3), 27
Plastics, radiation effects, **1**(3), 40; **1**(4), 37
Platinum, welding, **2**(2), 33
Plexiglas, radiation effects, **1**(4), 37
Plutonium, production in New Production Reactor, **3**(4), 75–7
reactivity lifetimes in fuel elements, **3**(3), 15–20
reactor fuels, **1**(2), 42–3
recycle in sodium graphite reactors, **3**(3), 18–20
Plutonium-239, neutron cross sections, **1**(3), 13; **2**(2), 17
Plutonium-240, neutron cross sections, **1**(3), 13; **1**(4), 4–5; **2**(2), 16
Plutonium-241, neutron cross sections, **1**(3), 13; **1**(4), 5
Plutonium-aluminum alloys, radiation effects, **1**(3), 27–8
rod buckling, **1**(3), 4
Plutonium-aluminum alloys (Zircaloy-2-clad), fabrication into fuel elements, **1**(3), 28
fuel in Plutonium Recycle Test Reactor, **3**(3), 53–6
Plutonium-cerium-cobalt alloys, fuel for Fast-Reactor Core Test Facility, **3**(2), 68
Plutonium-iron alloys, fuel for Fast-Reactor Core Test Facility, **3**(2), 68
Plutonium Recycle Test Reactor
See Reactor (Plutonium Recycle Test)
Plutonium-uranium alloys, radiation effects, **1**(2), 22–5
Plutonium-uranium-fissium alloys, nuclear properties, **1**(1), 25
Polyethylene, radiation effects, **1**(4), 37
Polyethylene terephthalate, radiation effects, **1**(3), 40
Polymers, radiation effects, **1**(3), 40
Polymethylmethacrylate, radiation effects, **1**(4), 37
Polyphenyls, burnout limits in reactors, **2**(3), 20–1
corrosion of aluminum, magnesium, stainless steels, and steels, **1**(4), 44–5
nucleate boiling, **3**(1), 19
properties, **1**(4), 45–9
Polystyrene, radiation effects, **1**(3), 40; **1**(4), 37
Polytetrafluorethene, radiation effects, **1**(3), 40
Potassium chloride–lithium chloride systems, physical properties, **1**(3), 48

Potassium-sodium alloys, coolant properties, 1(2), 40
Potassium–sodium–uranium dioxide systems (slurries), temperature effects on fuel suspension, 1(2), 44
Potassium uranate, melting point, 1(2), 28
Power oscillation, 1(2), 12–13
Pressure drop, calculations in pressurized-water reactors, 3(2), 39
Pressure-tube reactors, refueling, 2(4), 62
Pressure tubes, aluminum-silicon systems, 2(1), 34
  gas-cooled heavy-water-moderated reactors, 2(3), 56, 58
  Gas-Cooled Reactor Experiment, 2(3), 61
  Plutonium Recycle Test Reactor, 3(3), 53, 55
Pressure vessels, Experimental Breeder Reactor-II, 1(3), 56–7
  heat transfer, 1(1), 20
  homogeneous reactors, 1(2), 57
  liquid-metal-fuel reactors, 1(3), 53
  radiation effects, 3(4), 38–57
Pressurized Test Reactor, temperature coefficient of reactivity, 3(3), 3–4
Pressurized-Water Reactors
  See Reactors (pressurized-water)
Process heat, economics of nuclear power, 2(3), 4–5
  reactor applications, 3(1), 1–5
Process heat reactors
  See Reactors (process heat)
Pumps, homogeneous reactors, 1(2), 57
  liquid-metal-fuel reactors, 1(3), 52–3
PWR
  See Reactor (Shippingport Pressurized-Water)

R

Radiation (gamma), attenuation and heating codes, 3(2), 41
Radiation effects, 1(4), 40; 2(4), 72; 3(2), 59
  Alkanex, 1(4), 38
  alkylbenzene, 1(4), 38
  alloys, 3(4), 38–57
  aluminum, 1(3), 28; 1(4), 40–1
  aluminum alloys, 1(4), 40
  aluminum-iron alloys, 3(1), 37–8
  aluminum-nickel alloys, 1(3), 33; 3(1), 37–8
  amber, 1(3), 40
  asbestos, 1(4), 38
  beryllium, 1(1), 32; 1(4), 40–1; 2(4), 70
  boron, 1(2), 34
  boron carbide, 1(1), 30–1
  boron–stainless steel systems, 1(1), 30; 2(4), 71; 3(3), 39
  boron-titanium systems, 1(1), 30; 3(3), 40–1
  boron–Zircaloy-2 systems, 1(1), 30
  boron-zirconium systems, 1(2), 34; 3(3), 40–1
  boron-zirconium systems (Zircaloy-2-clad), 1(2), 34
  cadmium, 1(1), 31
  cadmium-indium-silver alloys, 3(3), 41
  capacitors, 1(4), 39
  ceramic materials, 1(4), 37
  cobalt alloys, 1(4), 40
  compacts, 1(2), 19–20
  concretes, 2(2), 31–2
  control-rod springs, 1(2), 45
  copper, 1(4), 40
  Dowtherm-A, 1(4), 38
  elastomers, 1(4), 37, 39
  electrical components, 1(3), 40; 1(4), 38–9
  electrical insulation, 1(4), 39
  engines, 1(4), 39
  ferrite, 3(1), 37–8
  Formex, 1(4), 38
  fuel elements, 1(1), 20; 3(2), 43–4, 45, 59; 3(4), 66–7
  gadolinium oxide–stainless steel systems, 1(1), 31
  gadolinium oxide–titanium systems, 1(1), 31
  Gas-Cooled Reactor Experiment fuel elements, 2(4), 81–2
  glycerine, 1(4), 38
  graphite, 2(2), 37–8
  human tissue, 1(4), 37
  hydrocarbons, 1(4), 39
  iron-nickel alloys, 3(1), 37–8
  iron-silicon systems, 3(1), 37–8
  leather, 1(4), 39
  lithium hydride, 1(1), 31
  magnesium alloys, 1(4), 40
  magnesium oxychloride cement, 1(1), 31
  magnetic materials, 3(1), 37–8
  Magnox C, 1(1), 32–3
  Magnox E, 1(1), 32–3
  mathematical analysis, 3(4), 51–7
  mechanisms of damage, 1(4), 36–7
  metals, 1(4), 37
  microswitches, 1(4), 39
  moderators, 1(1), 31
  molybdenum, 1(4), 40
  nickel alloys, 1(4), 40
  nylon, 1(4), 37
  organic materials, 1(3), 40
  Organic-Moderated Reactor Experiment fuel elements, 3(4), 66–7
  pentalene, 1(4), 38
  Perspex, 1(3), 40
  plastics, 1(3), 40; 1(4), 37
  plutonium-aluminum alloys, 1(3), 27–8
  polyethylene, 1(4), 37
  polyethylene terephthalate, 1(3), 40
  polymers, 1(3), 40
  polymethylmethacrylate, 1(4), 37
  polystyrene, 1(3), 40; 1(4), 37
  polytetrafluorethene, 1(3), 40
  pressure vessels, 3(4), 38–57
  reactor vessels, 3(4), 38–57
  Refrasil, 2(4), 82
  resistors, 1(4), 39
  rubber (natural), 1(4), 37
  selsyn motors, 1(4), 39
  semiconductors, 1(4), 37; 3(1), 37

Radiation effects (Continued)
shielding, 1(1), 31; 2(4), 47–8
silicones, 1(4), 38; 3(1), 37
Sodium Graphite Reactor fuel elements, 3(2), 59
stainless steel, 1(4), 40; 2(3), 56; 2(4), 72
steels, 1(4), 40; 3(4), 38–57
tantalum, 1(4), 40
Thermoflex, 2(4), 82
thorium, 1(2), 24–5
thorium (aluminum-clad), 1(3), 29
thorium oxide, 1(2), 31
titanium, 1(4), 40
tungsten, 1(4), 40
uranium, 1(2), 19–20; 1(3), 25; 1(4), 26, 31–2; 3(2), 59
uranium (depleted), 1(2), 19
uranium (zirconium-clad), 1(3), 25
uranium alloys, 1(2), 32; 1(4), 29
uranium-aluminum alloys, 1(1), 29; 1(3), 33–4
uranium dioxide, 1(2), 24; 1(4), 25, 28, 38; 3(2), 43–4, 45
uranium dioxide (stainless-steel-clad), 2(3), 56
uranium dioxide (Zircaloy-2-clad), 1(1), 26–7; 1(3), 28–33
uranium dioxide–graphite systems, 1(2), 26
uranium dioxide–silicon carbide–silicon systems, 1(2), 24
uranium dioxide–thorium oxide systems, 1(1), 28; 1(2), 24, 26
uranium dioxide–thorium oxide systems (aluminum-nickel alloy clad), 1(3), 33
uranium-fissium alloys, 1(2), 22
uranium-germanium alloys, 1(2), 32
uranium-graphite systems, 2(3), 44–5
uranium hydride compacts, 1(2), 19–20
uranium-iron alloys, 1(2), 32
uranium-magnesium alloys, 1(2), 28; 2(3), 48–50
uranium-molybdenum alloys, 1(2), 19–21, 32; 1(3), 25–7
uranium-niobium alloys, 1(2), 19–20; 1(3), 27
uranium-niobium-zirconium alloys, 1(2), 21
uranium-plutonium alloys, 1(2), 22–5
uranium-silicon systems, 1(2), 19–21, 32
uranium–stainless steel alloys, 1(1), 29
uranium-thorium alloys, 1(2), 24–5, 32
uranium-titanium alloys, 1(2), 20–1, 32
uranium-vanadium alloys, 1(2), 32
uranium-zirconium alloys, 1(1), 29; 1(2), 26, 27, 32; 1(3), 25, 34; 3(2), 59
welds, 3(4), 41–2
Zircaloy, 1(1), 29
Zircaloy-2, 1(1), 26–7; 1(2), 34; 1(3), 25–7, 29–33
zirconium, 1(3), 25, 34; 1(4), 40
zirconium diboride, 1(1), 30
Radiation tolerances, 2(4), 47–8
Radioisotopes, safe handling, 2(3), 38–9
Rare-earth oxides, melting point, 1(2), 28
Rare earths, control-rod applications, 3(3), 43–4
Reactivity, coefficient of
See Coefficient of reactivity
Reactor (Advanced Gas-Cooled), design, 2(1), 28–9
Reactor (Air Force Nuclear Engineering Test), blast-effect studies, 1(2), 17
containment, 2(3), 26
Reactor (Aircraft, Experiment) (ARE), control rods, 3(3), 45
Reactor (APS-1)
See Reactor (Obninsk)
Reactor (ARBOR), design, 1(2), 64–5
Reactor (Argonaut), materials and operating characteristics, 1(1), 40–1
Reactor (Argonne Low-Power)
See Reactor (ML-1)
Reactor (Army Package Power)
See Reactor (SM-1)
Reactor (Belgonucleaire), design, 2(1), 5, 17
thermal-output characteristics, 2(1), 2
Reactor (Beloyerski Urals)
See Reactor (U.S.S.R. Superheater)
Reactor (Berkeley) (British), refueling, 2(4), 60, 64–5
Reactor (BONUS), design, 3(4), 68–74
superheater, 3(4), 68–74
Reactor (BORAX), coefficient of reactivity, 1(1), 15–16
stability, 1(1), 15–16
Reactor (BORAX-I), destructive experiment analysis, 1(2), 17
operating characteristics, 3(1), 49
self-limitation of power, 1(3), 20–1
Reactor (BORAX-II), operating characteristics, 3(1), 49
Reactor (BORAX-III), operating characteristics, 3(1), 49
Reactor (BORAX-IV), coolant contamination, 2(1), 22–3
core design, 1(4), 24
fuel-element bonding, 1(4), 30; 2(2), 34
fuel-element design, 1(4), 12
operating characteristics, 3(1), 49
stability, 1(2), 64; 2(1), 20; 3(1), 47–53
Reactor (BR-3), design and safety, 3(1), 41
Reactor (Bradwell), design, 1(4), 54; 2(1), 6
refueling, 2(4), 60
Reactor (Brown-Boveri-Krupp), design, 3(4), 59
Reactor (Bulk Shielding), shielding experiments, 3(2), 40
Reactor (Calder Hall), control rods, 3(3), 30, 45
core design, 1(4), 24
design, 1(1), 34–5; 1(4), 54
fuel-element design, 1(1), 5; 1(4), 32
graphite loss, 2(2), 36
heat transfer, 1(1), 5–11
refueling, 2(4), 60, 64
safety, 2(3), 28–9
specific power, 2(1), 26
Reactor (Chugach Power)
See Reactor (Sodium Deuterium)
Reactor (Czechoslovakia Gas-Cooled), refueling, 2(4), 61
Reactor (Dounreay), core design, 1(4), 24

Reactor (Dragon), design, **3**(4), 58
Reactor (Dresden Power), containment, **2**(3), 27
control rods, **3**(3), 45
core design, **1**(4), 24
design, **2**(1), 5, 17
refueling, **2**(4), 57
thermal-output characteristics, **2**(1), 2
Reactor (Elk River Power), containment, **2**(3), 27
Reactor (Engineering Test), **1**(4), 64
fuel-element burnout, **2**(4), 36–9
hot-channel factors, **3**(3), 7
thermal analysis, **3**(2), 34–5
Reactor (Enrico Fermi Fast Breeder), containment, **2**(3), 27
core design, **1**(4), 24
control rods, **3**(3), 45
dynamics, **3**(4), 36
refueling, **2**(4), 58, 64
Reactor (Experimental Boiling-Water), coefficient of reactivity, **1**(1), 14–16
containment, **2**(3), 25–6; **3**(3), 64
control rods, **3**(3), 28–31, 45
coolant contamination and purification, **2**(1), 22–3
core design, **1**(4), 24
design, **1**(1), 36–8
fuel elements, **1**(4), 31; **3**(3), 62
modifications, **3**(3), 62–4
physics, **2**(2), 11
radioactive contamination, **2**(1), 22–3
refueling, **2**(4), 57
safety, **3**(3), 62–4
stability, **2**(1), 20; **3**(1), 44–7, 51–3; **3**(4), 34–5
thermal-output characteristics, **2**(1), 2
turbine corrosion, **2**(2), 51
Reactor (Experimental Breeder-I), alpha-radiation determination, **1**(3), 9
analysis after meltdown, **1**(3), 22
coefficient of reactivity, **1**(1), 12–14
core damage from failure, **1**(2), 66
core design, **1**(4), 24
safety experiments, **3**(1), 28
stability, **1**(1), 12–13; **3**(4), 36
Reactor (Experimental Breeder-II), containment, **1**(3), 53; **2**(3), 25, 27
core design, **1**(4), 24
design, **1**(3), 56–8
dynamics, **3**(4), 36
fuel-element design, **1**(2), 22–4
refueling, **2**(4), 58, 63–4
Reactor (Experimental Gas-Cooled), core design, **1**(4), 24
design, **2**(1), 6, 28–9; **2**(3), 55–6; **3**(4), 58, 59–62
Reactor (Fast, Core Test Facility), breeding, **3**(2), 67
design, **3**(2), 65–9
superheater, **3**(2), 67
Reactor (Florida power), **3**(2), 54
Reactor (G2), refueling, **2**(4), 60, 64
Reactor (G3), refueling, **2**(4), 60, 64
Reactor (Gas-Cooled Experiment), **2**(4), 79–82
design, **2**(1), 6; **2**(3), 61–2
hot-channel factors, **3**(4), 30–1
radiation effects on fuel elements, **2**(4), 81–2
thermal analysis, **2**(4), 79–80, 81
Reactor (Gas-Cooled, Experiment-II), design, **2**(4), 82
Reactor (General Electric Test), containment, **2**(3), 26
Reactor (Halden), refueling, **2**(4), 57
Reactor (Hanford Production), fuel-element rupture tests, **1**(2), 31
Reactor (Heavy-Water Components Test), **3**(2), 54–5
Reactor (High-Temperature Gas-Cooled) *See* Reactor (Peach Bottom)
Reactor (Kinetic Experiments on Water Boilers), safety experiments, **3**(1), 28
stability, **3**(4), 33–4
Reactor (Lenin), design, **2**(2), 3
Reactor (Lid Tank Shielding Facility), neutron-cross-section determinations, **2**(2), 30
Reactor (Liquid Metal Fuel), design, **3**(1), 54
Reactor (Liquid Metal Fuel, Experiment), design, **1**(3), 42–4, 54–5
Reactor (Livermore Pool Test), containment, **2**(3), 26
Reactor (Los Alamos Molten Plutonium, Experiment), **3**(2), 65–9
Reactor (Maritime Gas-Cooled), design, **2**(3), 59–61; **3**(4), 59
Reactor (Martin Power), core physics, **3**(1), 15
Reactor (Materials Testing), **1**(4), 64
fuel-element burnout, **2**(4), 36–9
fuel-element melting, **1**(4), 15
Reactor (MIT), containment, **2**(3), 26
Reactor (ML-1), control rods, **3**(3), 45
design, **3**(4), 59
Reactor (NASA Research), containment, **2**(3), 26
Reactor (New Production), design and economics, **3**(4), 75–7
Reactor (NPD-2), refueling, **2**(4), 58, 63
Reactor (NRU), refueling, **2**(4), 58, 63
Reactor (N.S. *Savannah*), containment, **2**(2), 12; **2**(3), 26
core physics, **3**(1), 15
design, **2**(2), 3
Reactor (Obninsk), refueling, **2**(4), 59
Reactor (Organic-Moderated, Experiment), containment, **1**(4), 42–51; **2**(3), 27
control rods, **3**(3), 45
coolant decomposition, **3**(2), 70
coolant purification, **1**(4), 44
economics, **1**(4), 49–50
fuel-element temperatures, **3**(4), 31
radiation effects in fuel elements, **3**(4), 66–7
refueling, **2**(4), 59
safety, **1**(4), 44–5
Reactor (ORNL Graphite), shielding, **2**(2), 31
Reactor (Parr Shoals), **3**(2), 54
Reactor (Pathfinder Power), **2**(3), 51–6
control, **2**(3), 52

Reactor (Pathfinder Power) (Continued)
containment, **2**(3), 27
superheaters, **3**(4), 69
Reactor (Peach Bottom), design, **2**(1), 30–2; **3**(4), 58
Reactor (Pebble Bed), design, **2**(3), 56–7; **3**(4), 59
Reactor (Pennsylvania Advanced), design, **1**(2), 47
maintenance, **1**(2), 59
Reactor (Physical Constants Testing), buckling measurements, **3**(2), 30–1
Doppler coefficient measurements, **3**(2), 31–2
thermal-neutron distribution, **3**(3), 1–3
Reactor (Piqua Power), containment, **3**(3), 27
Reactor (Plutonium Recycle Test), **1**(2), 42–3
containment, **2**(3), 27; **3**(3), 54–6
design, **3**(3), 53–7
safety, **3**(3), 54–6
Reactor (Pressurized Test), temperature coefficient of reactivity, **3**(3), 3–4
Reactor (Russian Gas-Cooled Heavy-Water), design, **1**(1), 35–6
Reactor (S1G), containment, **2**(3), 27
control rods, **3**(3), 45
physics, **2**(4), 34
Reactor (S1W), fuel-element melting, **1**(4), 15
fuel reprocessing, **1**(2), 31
Reactor (Saclay EL-3), fuel-element welding, **2**(2), 33
Reactor (Savannah River), buckling, **1**(3), 1–2
Reactor (Shippingport Pressurized-Water), breeding, **1**(3), 6–7
containment, **2**(3), 26
control rods, **3**(3), 45
coolant purification, **2**(4), 74–6
core design, **1**(4), 24
decontamination, **2**(4), 76–7
fuel-cycle calculations, **3**(3), 21
fuel-element welding, **2**(2), 34
fuel elements, **1**(4), 31
nuclear analysis, **1**(4), 1–2
operating experience, **2**(4), 74–7
physics, **2**(2), 11
refueling, **2**(4), 56
spatial power oscillation, **3**(3), 35
thermal-output characteristics, **2**(1), 21
Reactor (Siberian), **2**(1), 7
design, **2**(1), 34
refueling, **2**(4), 59
Reactor (SM-1), containment, **2**(3), 26
control rods, **3**(3), 40, 45
core design, **1**(4), 24
fuel-element melting, **1**(4), 15
fuel-element specifications, **1**(3), 40
nuclear analysis, **1**(4), 3
refueling, **2**(4), 56
Reactor (Sodium Deuterium), **1**(4), 61–2
design, **3**(2), 54–7
economics, **3**(2), 56–7
Reactor (Sodium, Experiment), containment, **2**(3), 27
control rods, **3**(3), 30, 45
core design, **1**(4), 24
fuel-element damage, **3**(2), 60–4
shutdown, **3**(1), 33; **3**(2), 60–3
Reactor (Sodium Graphite), **3**(2), 59–64
containment, **2**(3), 27
power flattening, **3**(3), 4–5
Reactor (SPERT), operating behavior, **1**(2), 16–17; **1**(4), 14
stability, **3**(4), 34–5
Reactor (SPERT-I), safety experiments, **3**(1), 28
self-limitation of power, **1**(3), 20–1
Reactor (SPERT-II), safety experiments, **3**(1), 28
Reactor (SPERT-III), safety experiments, **3**(1), 28
Reactor (Submarine Intermediate)
See Reactor (S1G)
Reactor (Submarine Thermal)
See Reactor (S1W)
Reactor (Swedish, for heating), control-rod worth, **3**(3), 30
Reactor (Swimming Pool)
See Reactor (Bulk Shielding)
Reactor (Thorium Breeder), design, **1**(2), 49
Reactor (Transient, Test Facility), safety experiments, **3**(1), 29
Reactor (Trawfynydd), neutron-flux-distribution determination, **3**(3), 5
Reactor (TURRET), design, **2**(4), 83–5; **3**(4), 58
Reactor (Ural), refueling, **2**(4), 59
Reactor (U.S.S.R. Superheater), design, **2**(1), 7, 35–6
Reactor (Vallecitos Boiling-Water), containment, **2**(3), 27
control rods, **3**(3), 45
stability, **2**(1), 20
Reactor (Veronezh), design, **2**(1), 5, 17, 23–4
refueling, **2**(4), 57
thermal-output characteristics, **2**(1), 21
Reactor (Westinghouse Test), containment, **2**(3), 26
Reactor (Yankee Power), containment, **2**(3), 26
control rods, **3**(3), 45
core design, **1**(4), 24
core physics, **2**(2), 11–12; **3**(1), 15
design, **2**(1), 5, 17
refueling, **2**(4), 56
thermal-output characteristics, **2**(1), 21
Reactor (Zeus), stability, **3**(4), 36
Reactor constants, **2**(2), 7
Reactor control materials
See Control materials
Reactor control systems
See Control
Reactor core design, **1**(2), 1–15
Reactor core materials, water-cooled and -moderated reactors, **2**(1), 10–12
Reactor cores
See also Lattices
buckling, **1**(3), 1–6
Reactor dynamics, **1**(4), 10–18
Reactor fuel elements
See Fuel elements
Reactor fuel materials
See Fuel elements

Reactor fuel solutions
See Fuel elements
Reactor fuses, **2**(3), 34–5
Reactor kinetics, accident calculations, **3**(1), 25–6
delayed neutrons, **3**(1), 24–5
Reactor lattices
See Lattices
Reactor moderators
See Moderators
Reactor physics, **1**(1), 3–5; **1**(3), 1–16; **1**(4), 1–6; **2**(2), 7–22; **2**(3), 17–19; **2**(4), 31–5; **3**(2), 30–3; **3**(3), 1–6; **3**(4), 12–21
conferences, **3**(2), 27–9; **3**(4), 33–7
Experimental Boiling-Water Reactor, **2**(2), 11
homogeneous reactors, **1**(2), 47
kinetics and dynamics, **3**(1), 24–7
Martin Power Reactor, **3**(1), 15
N.S. *Savannah* Reactor, **3**(1), 15
S1G Reactor, **2**(4), 34
Shippingport Pressurized-Water Reactor, **2**(2), 11
water-cooled and -moderated reactors, **2**(1), 12–16; **3**(1), 15–17
Yankee Power Reactor, **3**(1), 15
Reactor reflectors, reactor control, **1**(3), 12–13
Reactor research centers, critical and exponential measurements, **3**(4), 12, 16–19
Reactor safety, **1**(3), 20–3; **1**(4), 10–18; **2**(3), 22–37; **2**(4), 44–5; **3**(1), 28–35
See also Containment
accident calculations, **3**(1), 25–6
BR-3 Reactor, **3**(1), 41
Calder Hall Reactors, **2**(3), 28–9
Experimental Boiling-Water Reactor, **3**(3), 62–4
Experimental Breeder Reactor-I, **1**(2), 66; **1**(3), 22; **3**(1), 28
experiments, **3**(1), 28–30
fast-breeder reactors, **3**(2), 22–4
homogeneous reactors, **1**(2), 54–6
marine reactors, **2**(2), 1–6
Organic-Moderated Reactor Experiment, **1**(4), 44–5
Plutonium Recycle Test Reactor, **3**(3), 54–6
Reactor shielding materials
See Shielding
Reactor stability
See Stability
Reactor structural materials, **1**(2), 38–40
radiation effects, **1**(1), 31–3
Reactor vessels, radiation effects, **3**(4), 38–57
Reactor wastes
See also Waste disposal
composition, **3**(4), 2, 4
heat generation, **1**(4), 5; **2**(4), 34; **3**(4), 2, 5
Reactors, criticality effects of boiling, **1**(3), 20–1; **3**(4), 34–5
delayed neutrons, **3**(1), 24–5
design evaluation, **3**(3), 51–2
direct conversion of power, **3**(3), 48–50
fission-product poisoning, **3**(4), 12, 16–19
hot-channel factors, **2**(4), 42–3
industrial process heat applications, **3**(1), 1–5
reflector control, **1**(3), 12–13
refueling machinery, **2**(4), 54–5
stability, **1**(1), 16–17; **1**(2), 12–15; **3**(4), 33–7
theoretical studies of oscillations, **1**(1), 13–14
Reactors (aqueous homogeneous)
See Reactors (homogeneous)
Reactors (boiling heavy-water), **3**(2), 54
See also Reactor (Halden)
Reactors (boiling-water), **1**(2), 64–5; **1**(4), 52; **3**(2), 13–14
See also Reactor (ARBOR); Reactor (Belgonucleaire); Reactor (BONUS); Reactor (BORAX); Reactor (Dresden Power); Reactor (Elk River); Reactor (Experimental Boiling-Water); Reactor (Humboldt Bay Power); Reactor (Kinetic Experiments on Water Boilers); Reactor (ML-1); Reactor (Pathfinder Power); Reactor (Vallecitos Boiling-Water)
advance designs, **3**(3), 64–7
burnout, **3**(3), 10
coefficient of reactivity, **1**(1), 15–16
criticality effects of boiling, **1**(3), 20–1; **3**(4), 34–5
design, **3**(2), 8
design for marine applications, **2**(2), 3
dynamics, **1**(3), 21–3
economics, **2**(4), 2, 3, 4, 11–16
evaluation, **3**(2), 1–2, 4, 7, 8, 10
heat transfer, **3**(2), 39
power distribution, **1**(2), 65; **1**(3), 21
process heat applications, **3**(1), 2–5
reference list, **2**(1), 2
self-sustained power oscillation, **3**(3), 35
stability, **1**(3), 22; **1**(4), 10–14; **3**(1), 42–53
thermal performance, **2**(1), 18–23
transfer function, **1**(4), 14
turbine corrosion and erosion, **2**(2), 49–51
Reactors (breeder)
See also Reactors (fast-breeder); Reactors (thermal-breeder)
burnable poisons, **2**(2), 29
fluid-fuel reactors, **3**(1), 56
liquid-metal-fuel reactors, **1**(3), 42–5
Reactors (fast), **1**(2), 66–7; **2**(4), 62
See also Reactors (fast-breeder)
control, **1**(3), 8–9
Doppler effect on criticality, **1**(3), 7–8
fuel elements, **1**(2), 67; **1**(4), 32
reference list, **2**(1), 3
stability, **3**(4), 35–6
Reactors (fast-breeder)
See also Reactor (Dounreay); Reactor (Enrico Fermi Fast Breeder); Reactor (Experimental Breeder); Reactors (breeder); Reactors (fast)
breeding efficiency, **3**(2), 25
evaluation, **3**(2), 2, 4
safety, **3**(2), 22–4
Reactors (fluid-fuel), **3**(1), 54–60; **3**(2), 64–9
See also Reactor (Fast, Core Test Facility); Reactor (Homogeneous, Experiment-II); Reactor (Liquid Metal Fuel); Reactor (Liquid

Reactors (fluid-fuel) (Continued)
Metal Fuel, Experiment); Reactor (Los Alamos Molten Plutonium Experiment); Reactor (Pennsylvania Advanced); Reactors (Homogeneous); Reactors (fused-salt-fuel); Reactors (liquid-metal-fuel)
breeding, **3**(1), 56
fission-product release, **1**(4), 14–15
uranium dioxide–sodium–potassium fuel slurries, **1**(2), 44
Reactors (fluidized-bed), design, **3**(1), 61–3
Reactors (fused-salt-fuel), **1**(2), 69
design, **3**(1), 54
Reactors (gas-cooled), **1**(4), 53–8; **2**(1), 26–32; **2**(3), 55–64; **3**(4), 58–65
See also Reactor (Advanced Gas-Cooled); Reactor (Berkeley); Reactor (Bradwell); Reactor (Brown-Boveri-Krupp); Reactor (Calder Hall); Reactor (Czechoslovakia Gas-Cooled); Reactor (Dragon); Reactor (Experimental Gas-Cooled); Reactor (G2); Reactor (G3); Reactor (Gas-Cooled, Experiment); Reactor (Hunterston); Reactor (Maritime Gas-Cooled); Reactor (ORNL Graphite); Reactor (Peach Bottom); Reactor (Pebble Bed); Reactor (Trawfynydd); Reactor (TURRET); Reactors (gas-cooled heavy-water-moderated)
conferences, **3**(4), 58–65
coolant purification, **2**(1), 32
coolants, **1**(4), 57–8
design, **1**(1), 33–6; **1**(2), 68
design for marine applications, **2**(2), 3
economics, **1**(4), 53–5
evaluation, **3**(2), 2, 3–4
fuel elements, **1**(4), 27–8, 31–2, 55–7
heat transfer, **2**(2), 23–7
materials for high temperature, **3**(4), 62–4
reference list, **2**(1), 2–3
refueling, **2**(4), 62
Reactors (gas-cooled heavy-water-moderated)
See also Reactor (Russian Gas-Cooled Heavy-Water); Reactors (gas-cooled)
design, **2**(1), 29–30; **2**(3), 57–8
Reactors (graphite-moderated), **2**(1), 33–7
See also specific reactors by name
lattice design, **1**(2), 5–7
nuclear analysis, **1**(4), 2–3
reference list, **2**(1), 2–3
Reactors (heavy-water-cooled and -moderated), **1**(4), 59–63; **3**(2), 52–8
See also Reactor (Florida Power); Reactor (Halden); Reactor (Heavy-Water Components Test); Reactor (Homogeneous, Experiment-II); Reactor (MIT); Reactor (NPD-2); Reactor (NRU); Reactor (Parr Shoals); Reactor (Physical Constants Testing); Reactor (Plutonium Recycle Test); Reactor (Saclay EL-3); Reactor (Savannah River); Reactor (Sodium Deuterium); Reactor (Thorium Breeder); Reactor (Swedish, for heating); Reactors (gas-cooled heavy-water-moderated); Reactors (organic-cooled heavy-water-moderated); Reactors (sodium-cooled heavy-water-moderated)
buckling measurements, **1**(2), 2–4; **1**(4), 2; **3**(2), 30–1
core physics, **2**(3), 17–19; **3**(2), 30–1
design, **2**(3), 56, 58; **2**(4), 22–30
deuterium oxide economy, **2**(2), 44–8
economics, **2**(4), 2–4, 22–30
evaluation, **3**(2), 2, 4, 52–8
fuel-element design, **3**(2), 52–8
lattice design, **1**(2), 1–5
leak detection, **2**(2), 46
light-water removal, **2**(4), 78
neutron economy, **1**(1), 38–40
oscillation experiments, **3**(1), 26
reactivity lifetime, **2**(2), 18–19
reference list, **2**(1), 3
tritium monitoring, **2**(2), 46–7
Reactors (homogeneous)
See also Reactor (Homogeneous, Experiment-II); Reactor (Pennsylvania Advanced); Reactor (Thorium Breeder)
control, **1**(2), 54–6
economics, **1**(1), 59–60
evaluation, **3**(2), 2, 4
features and general design, **1**(2), 46–61; **3**(1), 54–5
heavy-water-moderated, **3**(2), 54
maintenance, **1**(2), 57–9
pumps, **1**(2), 57
reference list, **2**(1), 3
safety, **1**(2), 54–6
Reactors (liquid-metal-fuel), **1**(3), 42–55
See also Reactor (Liquid Metal Fuel); Reactor (Liquid Metal Fuel, Experiment)
breeding, **1**(3), 42–5
containment, **1**(3), 52
control, **1**(3), 48–9
fuel reprocessing, **1**(3), 49–50
graphite moderators, **1**(3), 46
maintenance, **1**(3), 52
pressure vessels, **1**(3), 53
pumps, **1**(3), 52–3
Reactors (liquid-plutonium-fuel), **3**(2), 65–9
See also Reactor (Fast, Core Test Facility); Reactor (Los Alamos Molten Plutonium, Experiment)
Reactors (marine), **2**(2), 1–6; **2**(3), 13–16; **3**(2), 13–18
See also Reactor (Lenin); Reactor (Maritime Gas-Cooled); Reactor (N.S. *Savannah*); Reactors (organic-cooled and -moderated); Reactors (pressurized-water)
comparison of several concepts, **2**(3), 61
safety, **2**(2), 1–6
Reactors (organic-cooled heavy-water-moderated), **1**(4), 62–3
Reactors (organic-cooled and -moderated), **1**(2), 68; **3**(2), 14–17
See also Reactor (Organic-Moderated, Experiment)

Reactors (organic-cooled and -moderated) (Continued)
advance designs, **3**(3), 68–70
burnout limits of polyphenyls, **2**(3), 20–1
coolants, **1**(4), 45–8
design, **2**(4), 21; **3**(2), 8–9
design for marine applications, **2**(2), 3
economics, **2**(4), 2–3, 16–21
evaluation, **3**(2), 2–3, 4, 7–9
exponential measurements, **1**(3), 14
heat transfer, **2**(4), 42
nucleate boiling, **3**(1), 19–21
physics, **2**(2), 12
process heat applications, **3**(1), 2–5
reference list, **2**(1), 3
Reactors (pebble-bed)
See also Reactor (Pebble Bed)
fuel elements, **2**(3), 40–2
Reactors (power), evaluation, **3**(2), 1–12
Reactors (pressure-tube)
See also Reactor (Florida Power); Reactor (Obninsk); Reactor (Plutonium Recycle Test); Reactor (Siberian)
refueling, **2**(4), 62
Reactors (pressurized-water)
See also Reactor (BR-3); Reactor (Indian Point Power); Reactor (Lenin); Reactor (Martin Power); Reactor (New Production); Reactor (N.S. *Savannah*); Reactor (Parr Shoals); Reactor (Pressurized Test); Reactor (S1W); Reactor (Shippingport Pressurized-Water); Reactor (SM-1); Reactor (Ural); Reactor (Veronezh); Reactor (Yankee Power); Reactors (supercritical water)
burnout, **2**(4), 39–42
design, **2**(4), 4–11; **3**(2), 10
design for marine applications, **2**(2), 3
economics, **2**(4), 2, 3, 4–11, 14–15
evaluation, **3**(2), 1–2, 4, 9–10
hydrodynamic calculations, **3**(2), 39
moderator control, **2**(4), 85
physics, **2**(2), 11–12
process heat applications, **3**(1), 2–5
reference list, **2**(1), 2
shim control, **1**(2), 62–3
thermal cycle, **2**(4), 7
thermal design, **1**(2), 63
thermal performance, **2**(1), 18–23
Reactors (process heat), **2**(3), 4–5
See also Reactor (Halden); Reactor (Swedish, for heating)
design, **3**(1), 2–5
economics, **2**(3), 4–5
Reactors (sodium-cooled)
See also Reactor (S1G); Reactors (sodium-cooled heavy-water-moderated); Reactors (sodium graphite)
fuel elements, **1**(4), 29, 32
Reactors (sodium-cooled heavy-water-moderated), **3**(2), 54
See also Reactor (Sodium Deuterium)
Reactors (sodium graphite)
See also Reactor (Sodium, Experiment); Reactor (Sodium Graphite)
evaluation, **3**(2), 2–3, 4
plutonium fuel cycle, **3**(3), 18–20
reference list, **2**(1), 3
Reactors (solid-fuel), refueling methods, **2**(4), 49–66
transfer function, **3**(1), 26–7
Reactors (supercritical water), burnout, **1**(3), 18
Reactors (test), economics, **1**(4), 64
Reactors (thermal-breeder), **3**(2), 52
breeding efficiency, **3**(2), 25–7; **3**(3), 4
Reactors (water-cooled and -moderated), **2**(1), 10–25
breeding, **2**(1), 17–19
coolant dissociation, **2**(1), 21–2
core physics, **2**(1), 12–16; **3**(1), 15–17
fuel elements, **1**(4), 25–6, 30–1
physics, **2**(2), 11–13
Reciprocating nuclear gas engines, **2**(3), 62–3
Reflectors, reactor control, **1**(3), 12–13
Refractory materials, melting point, **1**(2), 26–7
Refrasil, radiation effects, **2**(4), 82
thermal insulating properties, **2**(4), 82
Resistors, radiation effects, **1**(4), 39
Resonance escape, **1**(1), 4
probability, **1**(2), 9–10
thorium, thorium oxide, uranium, and uranium dioxide, **1**(1), 4
Rhenium, nuclear properties, **3**(3), 32
Rhodium, nuclear properties, **3**(3), 32
Rubber (natural), radiation effects, **1**(4), 37
Russian Gas-Cooled Heavy-Water Reactor, design, **1**(1), 35–6
Russian Icebreaker Lenin, reactor design, **2**(2), 3
Russian reactors
See Reactor (Lenin); Reactor (Obninsk); Reactor (Russian Gas-Cooled); Reactor (Siberian); Reactor (Ural); Reactor (U.S.S.R. Superheater); Reactor (Veronezh)

S

S1G Reactor
See Reactor (S1G)
S1W Reactor
See Reactor (S1W)
Saclay Center for Nuclear Studies, critical experiments, **3**(4), 13
Saclay EL-3 Reactor, fuel-element welding, **2**(2), 33
Salts (fused)
See Fluorides (fused)
Samarium, application as control material, **1**(2), 34; **3**(3), 32, 43–4
Samarium-149, neutron cross sections, **1**(3), 13; **2**(2), 16; **3**(4), 16
nuclear properties, **3**(3), 32
Samarium oxide, melting point, **1**(2), 28
neutron absorption, **3**(3), 35

Samarium oxide–stainless steel systems, neutron absorption, **3**(3), 34
Santowax M, nucleate boiling, **3**(1), 19
Santowax O, nucleate boiling, **3**(1), 19
Santowax O-M, coolant properties, **2**(4), 42
properties, **1**(4), 45
Santowax R, coolant properties, **2**(4), 42
Savannah Reactor
See Reactor (N.S. *Savannah*)
Savannah River Laboratory, critical and exponential experiments, **3**(4), 13
Savannah River Reactors, buckling, **1**(3), 1–2
Sea disposal, reactor wastes, **3**(4), 9
Selsyn motors, radiation effects, **1**(4), 39
Semiconductors, radiation effects, **1**(4), 37; **3**(1), 37
Shielding, **1**(2), 38; **2**(2), 30–2; **2**(4), 46–8; **3**(1), 36; **3**(2), 40–1
aluminum, **2**(2), 30; **3**(3), 34
barytes concrete, **2**(2), 31
beryllium, **2**(2), 30
bismuth, **2**(2), 30
boron, **2**(2), 30
boron glass, **3**(3), 36
cadmium, **2**(2), 30
carbon, **2**(2), 30
chlorine, **2**(2), 30
concretes, **2**(2), 31–2; **2**(4), 46–7
copper, **2**(2), 30
experiments in Bulk Shielding Reactor, **3**(2), 40
fluorine, **2**(2), 30
hydrogen, **2**(2), 30
iron, **2**(2), 30
iron limonite concrete, **2**(4), 46
lead, **2**(2), 30
lithium, **2**(2), 30
lithium hydride, **1**(1), 31
magnesium oxychloride cement, **1**(1), 31
magnetite concrete, **2**(4), 46
magnetite limonite concrete, **2**(4), 46
neutron-distribution prediction, **3**(2), 40
nickel, **2**(2), 30
organic-moderated reactors, **3**(2), 15
ORNL Graphite Reactor, **2**(2), 31
oxygen, **2**(2), 30
radiation effects, **1**(1), 31
radiation tolerances, **2**(4), 47–8
sodium, **2**(2), 30
sulfur, **2**(2), 30
titanium, **2**(2), 30
tungsten, **2**(2), 30
Shippingport Pressurized-Water Reactor
See Reactor (Shippingport Pressurized-Water)
Siberian Reactor
See Reactor (Siberian)
Silicon-aluminum systems, pressure-tube construction, **2**(1), 34
Silicon-aluminum-uranium systems, diffusion, **1**(2), 30–1
Silicon carbide–silicon–uranium dioxide systems, radiation effects, **1**(2), 24
Silicon dioxide–thorium oxide systems, properties, **1**(2), 31
Silicon dioxide–uranium dioxide systems, properties, **1**(2), 31
Silicon-iron systems, radiation effects, **3**(1), 37–8
Silicon–thorium oxide systems, properties, **1**(2), 31
Silicon–uranium dioxide systems, properties, **1**(2), 31
Silicon-uranium systems
See Uranium-silicon systems
Silicon–uranium–Zircaloy-2 compacts, density, **1**(2), 31
Silicones, radiation effects, **1**(4), 38; **3**(1), 37
Silver, neutron absorption, **3**(3), 34–5
nuclear properties, **3**(3), 32
welding, **2**(2), 33
Silver-zirconium alloys, corrosion by uranyl sulfate solutions, **1**(2), 52
SM-1 Reactor
See Reactor (SM-1)
Sodium (liquid), coolant properties, **1**(2), 40
corrosion of uranium, **1**(4), 32
physical properties, **1**(3), 48
properties, **1**(4), 46
shielding properties, **2**(2), 30
Sodium-cooled reactors
See Reactors (sodium-cooled)
Sodium Deuterium Reactor
See Reactor (Sodium Deuterium)
Sodium Graphite Reactor
See Reactor (Sodium Graphite)
Sodium-potassium alloys (liquid), coolant properties, **1**(2), 40
Sodium–potassium–uranium dioxide systems (slurries), temperature effects on fuel suspension, **1**(2), 44
Sodium Reactor Experiment
See Reactor (Sodium, Experiment)
Sodium uranate, melting point, **1**(2), 28
Solid fixation, reactor wastes, **3**(4), 7–8
Soviet Icebreaker Lenin, reactor design, **2**(2), 3
Soviet reactors
for a list, *see* Russian reactors
SPERT Reactors
See Reactor (SPERT)
Springs, radiation effects on control-rod springs, **1**(2), 45
Stability, **1**(1), 13–14, 16–17; **1**(2), 12–13; **3**(4), 33–7
boiling-water reactors, **1**(3), 22; **1**(4), 10–14; **3**(1), 42–53; **3**(3), 35
BORAX Reactor, **1**(1), 15–16; **1**(2), 64; **2**(1), 20; **3**(1), 47–53
coefficient of reactivity effects, **1**(1), 13–14
conferences, **3**(4), 33–7
Experimental Boiling-Water Reactor, **2**(1), 20; **3**(1), 44–7, 51–3; **3**(4), 34–5
Experimental Breeder Reactor-I, **1**(1), 12–13; **3**(4), 36
fast reactors, **3**(4), 35–8

Stability (Continued)
Kinetic Experiments on Water Boilers, **3**(4), 33–4
Shippingport Pressurized-Water Reactor, **3**(3), 35
SPERT Reactors, **3**(4), 34–5
Vallecitos Boiling-Water Reactor, **2**(1), 20
Zeus Reactor, **3**(4), 36
Stainless steel, cladding for fuel elements, **1**(3), 39; **1**(4), 30
corrosion by carbon dioxide, **1**(1), 33; **1**(4), 28
corrosion by hydrofluoric acid–nitric acid systems, **1**(2), 39
corrosion by nitrogen, **3**(1), 38–40
corrosion by polyphenyls, **1**(4), 44–5
corrosion by uranyl sulfate, **1**(2), 52–3
dissolution, **1**(2), 39
heat transfer, **1**(1), 6
neutron cross sections, **2**(2), 10
nuclear properties, **1**(2), 39
properties, **1**(4), 25, 28, 29
properties of type 304, **1**(4), 23
radiation effects, **1**(4), 40–1; **2**(3), 56; **2**(4), 72
reactions with uranium, **1**(4), 29
reactions with uranium dioxide, **1**(4), 25
thermal properties, **1**(2), 39
welding, **2**(2), 33
Stainless steel–boron systems
See Boron–stainless steel systems
Stainless steel–europium oxide systems, neutron absorption, **3**(3), 34
Stainless steel–europium oxide systems (stainless-steel-clad), control rods in SM-1 Reactor, **3**(3), 40
Stainless steel–gadolinium oxide systems, radiation effects, **1**(1), 31
Stainless steel–uranium alloys, radiation effects, **1**(1), 29
Stainless steel–uranium carbide compacts, density, **1**(2), 31
Stainless steel–uranium nitride compacts, density, **1**(2), 31
Steam, corrosion of uranium dioxide, **3**(2), 49–50
corrosion of zirconium and Zircaloys, **2**(2), 39
Steam cycle, Pathfinder Power Reactor, **2**(3), 53–4
Steam slip, **3**(4), 28–9
Steel [Jessops (G1)], corrosion by carbon dioxide, **1**(1), 33
Steels, corrosion by bismuth alloys, **1**(3), 51
corrosion by carbon dioxide, **1**(1), 33
corrosion by polyphenyls, **1**(4), 44–5
heat transfer, **1**(1), 6
radiation effects, **1**(4), 40; **3**(4), 38–57
Strontium uranate, melting point, **1**(2), 28
Structural materials
See Reactor structural materials
Submarine Intermediate Reactor
See Reactor (S1G)
Submarine Thermal Reactor
See Reactor (S1W)
Sulfur, shielding properties, **2**(2), 30
Sulfuric acid, corrosion inhibition of uranyl sulfate corrosion of Zircaloy-2, **1**(2), 53
Supercritical water reactors, burnout, **1**(3), 18
Superheaters (fossil-fueled), **3**(2), 11–12
Superheaters (nuclear), BONUS Reactor, **3**(4), 68–74
evaluation, **3**(2), 3, 4
Fast-Reactor Core Test Facility, **3**(2), 67
heat transfer, **3**(4), 69–74
Pathfinder Power Reactor, **2**(3), 51–3; **3**(4), 69
Swedish reactor for heating, control-rod worth, **3**(3), 30
Swirl flow, heat transfer, **3**(4), 25–7
Symposia
See Conferences

T

Tantalum, neutron absorption, **3**(3), 34–5
radiation effects, **1**(4), 40
solubility in liquid bismuth, **1**(3), 50
Tantalum-gadolinium alloys, neutron absorption, **3**(3), 34
Temperature coefficients of reactivity
See Coefficient of reactivity
Temperature coefficient of resonance, thorium, **1**(1), 4
uranium-238, **1**(1), 4
Terbium oxide, neutron absorption, **3**(3), 36
Terphenyl, decomposition in Organic-Moderated Reactor Experiment, **3**(2), 70
Terphenyl, meta-
See Santowax M
Terphenyl, ortho-
See Santowax O
Thermal insulation
See Insulation (thermal)
Thermionic energy conversion
See also Thermocouples
cesium vapor-filled converters, **3**(1), 9–11
direct conversion of nuclear energy, **3**(3), 48–50
high vacuum converter performance, **3**(1), 8–9
Los Alamos plasma thermocouple, **3**(1), 11–13
theory and efficiency, **3**(1), 6–14
Thermocouples
See also Thermionic Energy Conversion
Organic-Moderated Reactor Experiment, **3**(4), 31
Thermocouples (Los Alamos plasma), **3**(1), 11–13
Thermoelectric power
See Thermionic energy conversion
Thermoflex, radiation effects, **2**(4), 82
thermal insulating properties, **2**(4), 82
Thermopiles
See Thermionic energy conversion
Thorex Process, homogeneous reactor fuel reprocessing, **1**(2), 51
Thorium, conversion to uranium-233 in water-cooled and -moderated reactor, **2**(1), 17–19
effective resonance integral, **1**(4), 4
radiation effects, **1**(2), 24–5
resonance escape of neutrons, **1**(1), 4
Thorium (aluminum-clad), radiation effects, **1**(3), 29
Thorium Breeder Reactor, design, **1**(2), 49

Thorium oxide, physical properties, 1(1), 27
radiation effects, 1(4), 30
resonance escape of neutrons, 1(1), 4
Thorium oxide–beryllium oxide systems, properties, 1(2), 31
Thorium oxide–beryllium systems, properties, 1(2), 31
Thorium oxide–cerium oxide systems, properties, 1(2), 31
Thorium oxide–molybdenum systems, thermal properties, 1(2), 28, 30
Thorium oxide–niobium systems, properties, 1(2), 31
Thorium oxide–silicon dioxide systems, properties, 1(2), 31
Thorium oxide–silicon systems, properties, 1(2), 31
Thorium oxide–uranium dioxide systems
See Uranium dioxide–thorium oxide systems
Thorium oxide–zirconium oxide systems, properties, 1(2), 31
Thorium oxide–zirconium systems, properties, 1(2), 31
Thorium-uranium alloys
See Uranium-thorium alloys
Thulium oxide, neutron absorption, 3(3), 36
Titanium, corrosion by uranyl sulfate, 1(2), 52
neutron absorption, 3(3), 34
nuclear properties, 1(2), 39
radiation effects, 1(4), 40
shielding properties, 2(2), 30
thermal properties, 1(2), 39
Titanium alloys, high-temperature properties, 1(2), 39
Titanium-boron systems
See Boron-titanium systems
Titanium–gadolinium oxide systems, radiation effects, 1(1), 31
Titanium-uranium alloys
See Uranium-titanium alloys
Titanium-vanadium alloys, high-temperature properties, 1(2), 39
Toxicology, beryllium, 2(4), 70–1
Transfer function, boiling-water reactors, 1(4), 14
conferences, 3(4), 33–7
Transient Reactor Test Facility, safety experiments, 3(1), 29
solid-fuel reactors, 3(1), 26–7
Transuranic elements, disposal, 1(4), 5, 7
Trawfynydd Reactor, neutron-flux-distribution determination, 3(3), 5
Tritium, monitoring, 2(2), 46–7
Tubes
See also Channels
heat transfer to gases, 3(2), 38
heat transfer in turbulent flow, 3(3), 8–9
Tubes (finned, roughened), heat transfer, 1(1), 9
Tubes (finned, smooth), heat transfer, 1(1), 9
Tubes (finned, transverse), heat transfer with axial gas flow, 1(1), 5–11
Tubes (pressure)
See Pressure tubes
Tungsten, neutron absorption, 3(3), 36
radiation effects, 1(4), 40
shielding properties, 2(2), 30
solubility in liquid bismuth, 1(3), 50
Turbines, corrosion and erosion in boiling-water reactors, 2(2), 49–51
TURRET Reactor, design, 2(4), 83–5; 3(4), 58

U

Ultrasonics, applications in welding, 1(2), 45
United Nations, Second International Conference on the Peaceful Uses of Atomic Energy, 2(1), 1–9
Ural Reactor, refueling, 2(4), 59
Uranium, compatibility with beryllium, 2(4), 70
corrosion by liquid sodium, 1(4), 32
effective resonance integral, 1(4), 3–4
electrocladding with aluminum, 2(2), 34
enrichment costs, 1(1), 1; 3(2), 19
extraction costs, 3(2), 21–2
fabrication into fuel elements, 1(3), 24–5
fission-product release from fuel elements, 1(4), 26–7, 29
fuel elements, 1(4), 26, 27, 31–2
fuel elements for Sodium Graphite Reactor, 3(2), 59–61
impregnation of graphite, 2(3), 41–2
nuclear properties, 1(1), 24; 1(2), 39
physical properties, 1(1), 23–4; 2(3), 47
properties, 1(2), 32; 1(4), 22, 26
radiation effects, 1(3), 25; 1(4), 26, 31–2; 3(2), 59
radiation effects in powder compacts, 1(2), 19–20
reactions with niobium, stainless steel, vanadium, and Zircaloy-2, 1(4), 29
reactions with water, 1(1), 18
resonance absorption in rods, 1(3), 9
resonance escape of neutrons, 1(1), 4
thermal properties, 1(2), 19, 39
welding, 2(2), 33
Uranium-233, neutron cross sections, 1(3), 13; 2(2), 17
Uranium-234, neutron cross sections, 1(3), 13
Uranium-235, fission products, 1(3), 13
reactivity lifetimes in fuel elements, 3(3), 15
Uranium-236, problems created in recycled fuels, 2(2), 42
Uranium-238, conversion to plutonium-239, 1(3), 6–7
Doppler coefficient, 2(2), 13–14
temperature coefficient of resonance, 1(1), 4
Uranium (depleted), radiation effects, 1(2), 19
Uranium (enriched), costs and supplies, 1(1), 1; 3(2), 19
Uranium (Zircaloy-2-clad), temperature coefficient of reactivity, 3(3), 3–4
Uranium (zirconium-clad), fabrication into fuel elements, 1(3), 25
radiation effects, 1(3), 25

Uranium alloys, fuel elements, 1(4), 29
properties, 1(2), 32; 1(4), 29
radiation effects, 1(2), 32; 1(4), 29
Uranium-aluminum alloys, fuel-element fabrication, 1(2), 26
properties, 1(2), 28
radiation effects, 1(1), 29; 1(3), 33–4
thermal properties, 1(2), 29, 30
Uranium-bismuth alloys (liquid), reactor cooling, 1(3), 42–55
Uranium borides, thermal properties, 1(2), 29
Uranium carbide–stainless steel compacts, density, 1(2), 31
Uranium carbide–Zircaloy-2 compacts, density, 1(2), 31
Uranium carbides, corrosion resistance, 1(2), 27
properties, 1(2), 28
thermal properties, 1(2), 29
Uranium-chromium alloys, properties, 1(2), 32
radiation effects, 1(2), 32
Uranium-copper alloys, properties, 1(2), 28
Uranium dioxide, compatibility with beryllium, 2(4), 70
corrosion by steam, 3(2), 49–50
effective resonance integral, 1(4), 3–4
erosion by high-pressure water, 1(2), 31
fabrication into fuel elements, 3(2), 42–4, 45
fission-gas release, 1(1), 25–6; 1(2), 24
fission-product release from fuel elements, 1(4), 25, 28
fuel applications in fast reactors, 1(2), 67
fuel elements, 1(4), 25, 28, 30, 32
melting point, 1(2), 26–7
oxidation by carbon dioxide, 3(2), 50
physical properties, 1(1), 25; 2(3), 47
properties, 1(2), 28; 1(4), 22, 28
radiation effects, 1(2), 24; 1(4), 25, 28, 38; 3(2), 43–4, 45
reactions with aluminum, stainless steel, and Zircaloy-2, 1(4), 25
resonance escape of neutrons, 1(1), 4
thermal conductivity, 3(2), 44–5, 46–9
Uranium dioxide (stainless-steel-clad), Experimental Gas-Cooled Reactor fuel elements, 2(3), 55–6; 3(4), 59–62
radiation effects, 2(3), 56
Uranium dioxide (Zircaloy-2-clad), radiation effects, 1(1), 26–7; 1(3), 28–33
thermal properties, 1(3), 29–33
Uranium dioxide (zirconium-clad), corrosion by high-temperature water, 1(2), 32
Uranium dioxide–beryllium oxide systems, properties, 1(2), 31
Uranium dioxide–beryllium systems, properties, 1(2), 31
Uranium dioxide–cerium oxide systems, properties, 1(2), 31
thermal conductivity, 3(2), 49
Uranium dioxide–chromium–nickel systems (Nichrome-V-clad), reactions with water during irradiation, 1(1), 18–19
Uranium dioxide–graphite systems, radiation effects, 1(2), 26
Uranium dioxide–molybdenum systems, properties, 1(2), 31
Uranium dioxide–niobium oxide systems, thermal conductivity, 3(2), 49
Uranium dioxide–niobium systems, properties, 1(2), 31
Uranium dioxide–silicon carbide–silicon systems, radiation effects, 1(2), 24
Uranium dioxide–silicon dioxide systems, properties, 1(2), 31
Uranium dioxide–silicon systems, properties, 1(2), 31
Uranium dioxide–sodium–potassium systems (slurries), temperature effects on fuel suspension, 1(2), 44
Uranium dioxide–thorium oxide systems, radiation effects, 1(1), 28; 1(2), 24, 26
rod buckling, 1(3), 4–5
Uranium dioxide–thorium oxide systems (aluminum-nickel alloy clad), fabrication into fuel elements, 1(3), 33
radiation effects, 1(3), 33
Uranium dioxide–yttrium oxide systems, thermal conductivity, 3(2), 49
Uranium dioxide–zirconium oxide systems, properties, 1(2), 31
Uranium dioxide–zirconium systems, properties, 1(2), 31
Uranium-fissium alloys, nuclear properties, 1(4), 29
radiation effects, 1(2), 22
Uranium-fissium-molybdenum alloys, nuclear properties, 1(4), 29
Uranium-germanium alloys, properties, 1(2), 32
radiation effects, 1(2), 32
Uranium-graphite systems, fuel elements, 2(3), 40–7
properties, 2(3), 42
radiation effects, 2(3), 44–5
temperature effects, 2(3), 41
Uranium hydride, radiation effects in powder compacts, 1(2), 19–20
Uranium-iron alloys, properties, 1(2), 28, 32
radiation effects, 1(2), 32
thermal properties, 1(2), 29
Uranium-magnesium alloys, fuel-element characteristics, 2(3), 47–50
radiation effects, 2(3), 48–50
Uranium-magnesium alloys (Zircaloy-2-clad), radiation effects, 1(1), 29
Uranium-manganese alloys, properties, 1(2), 28
Uranium-molybdenum alloys, nuclear properties, 1(1), 24; 1(4), 29
properties, 1(2), 32
radiation effects, 1(2), 19–21, 32; 1(3), 25–7
reactions with water, 1(1), 18
Uranium-molybdenum alloys (Zircaloy-2-clad), radiation effects, 1(3), 26–7
Uranium-nickel alloys, properties, 1(2), 28
thermal properties, 1(2), 29

Uranium–nickel–Zircaloy-2 compacts, density, 1(2), 31
Uranium-niobium alloys, nuclear properties, 1(1), 24
radiation effects, 1(2), 19–20; 1(3), 27
Uranium-niobium-zirconium alloys, reactions with water, 1(1), 18
nuclear properties, 1(1), 24
radiation effects, 1(2), 21
Uranium nitride, corrosion by 680°F water, 1(2), 27
properties, 1(2), 28
thermal properties, 1(2), 29
Uranium nitride–stainless steel compacts, density, 1(2), 31
Uranium oxides
See also Uranium dioxide
effect of oxygen content on fuels, 3(2), 45–6
Uranium oxycarbide, properties, 1(2), 28
Uranium–phosphorus pentoxide systems, melting point, 1(2), 28
Uranium-plutonium alloys, radiation effects, 1(2), 22–5
Uranium-plutonium-fissium alloys, nuclear properties, 1(1), 25
Uranium resources, consumption, 2(3), 10–11
Uranium silicides, thermal properties, 1(2), 29, 30
Uranium-silicon-aluminum systems, diffusion, 1(2), 30–1
Uranium-silicon systems, nuclear properties, 1(1), 24
properties, 1(2), 28, 32
radiation effects, 1(2), 19–20, 21, 32
Uranium–silicon–Zircaloy-2 compacts, density, 1(2), 31
Uranium–stainless steel alloys, radiation effects, 1(1), 29
Uranium sulfides, thermal properties, 1(2), 29
Uranium-thorium alloys, properties, 1(2), 32
radiation effects, 1(2), 24–5, 32
Uranium-titanium alloys, properties, 1(2), 28, 32
radiation effects, 1(2), 20–1, 32
Uranium–titanium–Zircaloy-2 compacts, density, 1(2), 31
Uranium-vanadium alloys, properties, 1(2), 32
radiation effects, 1(2), 32
Uranium-zirconium alloys, corrosion by water, 1(2), 21–2
dissolution, 1(2), 31
fuel elements for Sodium Graphite Reactor, 3(2), 59–60
nuclear properties, 1(1), 24
properties, 1(2), 32
radiation effects, 1(1), 29; 1(2), 26, 27, 32; 3(2), 59
Uranium-zirconium alloys (Zircaloy-clad), fuel elements, 1(4), 31
Uranium-zirconium alloys (Zircaloy-2-clad), radiation effects, 1(3), 25
Uranium-zirconium alloys (zirconium-clad), radiation effects, 1(3), 34
reactions with water during irradiation, 1(1), 18–19
Uranyl sulfate–water systems, corrosion of stainless steel, titanium, zirconium, and zirconium alloys, 1(2), 52–3
homogeneous reactor fuels, 1(2), 52–3
U.S.S.R. Reactors
for a list, *see* Russian reactors
U.S.S.R. Superheater Reactor, design, 2(1), 7, 35–6

V

Vallecitos Boiling-Water Reactor
See Reactor (Vallecitos Boiling-Water)
Vanadium, high-temperature properties, 1(2), 38–9
nuclear properties, 1(2), 39
properties, 1(4), 23, 29
reactions with uranium, 1(4), 29
thermal properties, 1(2), 39
Vanadium alloys, high-temperature properties, 1(2), 38–9
Vanadium-titanium alloys, high-temperature properties, 1(2), 39
Vanadium-uranium alloys
See Uranium-vanadium alloys
Veronezh Reactor
See Reactor (Veronezh)
Vessels (pressure)
See Pressure vessels
Vessels (reactor), radiation effects, 3(4), 38–57
Vortex flow, heat transfer, 3(4), 25–7

W

Waste disposal, economics, 3(4), 4, 6–7
evaporators, 1(2), 45
fixation, 3(4), 7–8
oceans, 3(4), 9
transuranic elements, 1(4), 5–7
Water, corrosion of aluminum, 1(1), 18; 1(2), 39; 3(4), 29–30
corrosion of aluminum alloys, 1(2), 40
corrosion of aluminum-nickel alloys, 1(3), 37–8
corrosion of boron–stainless steel systems, 3(3), 39
corrosion of boron-titanium systems, 3(3), 41
corrosion of boron-zirconium systems, 3(3), 41
corrosion of cadmium-indium-silver alloys, 3(3), 41
corrosion of control rods, 3(3), 40–1
corrosion of fuel elements in high temperature, 1(2), 32
corrosion of uranium dioxide (zirconium-clad), 1(2), 32
corrosion of uranium nitride, 1(2), 27
corrosion of uranium-zirconium alloys, 1(2), 21–2
corrosion of Zircaloys, 2(2), 38–9
corrosion of zirconium, 1(2), 32; 2(2), 38–9
erosion of fuel pellets, 1(2), 31
fuel-element rupture in high temperature, 1(2), 31
neutron moderation, 2(2), 9–10

Water (Continued)
physical properties, 1(3), 48
properties, 1(4), 46
reactions with fuels during irradiation, 1(1), 18–19
reactions with uranium, 1(1), 18
reactions with uranium-molybdenum alloys, 1(1), 18
reactions with uranium-niobium-zirconium alloys, 1(1), 18
reactions with uranium-zirconium alloys, 1(1), 18–19
Water–carbon dioxide systems, coolant-moderator efficiency, 2(3), 59
Water–hydrofluoric acid–nitric acid systems, decontamination efficiency, 2(3), 24–5
Water-metal systems, chemical reactions, 1(1), 18–19; 3(1), 30–3
Welding, electron-beam process, 2(2), 33–4
nonferrous metals, 2(2), 33
Saclay EL-3 Reactor fuel elements, 2(2), 33
stainless steel, 2(2), 33
ultrasonic techniques, 1(2), 45
Welds, radiation effects, 3(4), 41–2
Westinghouse Reactor Evaluation Center, critical and exponential experiments, 3(4), 14
Westinghouse Test Reactor, containment, 2(3), 26
Wolfram
See Tungsten

X

Xenon-133, presence in irradiated uranium dioxide–silicon carbide–silicon fuel elements, 1(2), 24
Xenon-135, neutron cross sections, 1(3), 13; 3(4), 16

Y

Yankee Power Reactor
See Reactor (Yankee Power)
Ytterbium oxide, neutron absorption, 3(3), 36
Yttrium oxide–uranium dioxide systems, thermal conductivity, 3(2), 49
Yttrium-zirconium alloys, corrosion by uranyl sulfate solutions, 1(2), 52

Z

Zeus reactor, stability, 3(4), 36
Zircaloy, fuel-element cladding, 1(4), 30
Zircaloy-2, corrosion by carbon dioxide, 2(2), 39–40
corrosion by carbon dioxide–helium systems, 2(2), 39–40
corrosion by steam, 2(2), 39
corrosion by uranyl sulfate solutions, 1(2), 53
corrosion by water, 2(2), 38–9
decontamination with hydrofluoric acid–nitric acid–water systems, 3(3), 24–5
high-temperature properties, 1(2), 35–8
neutron absorption, 3(3), 34
nondestructive testing of tubing, 1(2), 45
properties, 1(4), 23, 25, 26, 29
radiation effects, 1(1), 26–7; 1(2), 34; 1(3), 25–7, 29–33
reactions with uranium, 1(4), 29
reactions with uranium dioxide, 1(4), 25
reactions with water, 3(1), 30–3
welding, 2(2), 33
Zircaloy-2–boron systems, radiation effects, 1(1), 30
Zircaloy-2–nickel–uranium compacts, density, 1(2), 31
Zircaloy-2–uranium carbide compacts, density, 1(2), 31
Zircaloy-3, corrosion by steam, 2(2), 39
high-temperature properties, 1(2), 38
Zircaloy-3A, high-temperature properties, 1(2), 37
Zircaloy-B, reactions with water, 1(1), 18
Zirconium, corrosion by carbon dioxide, 2(2), 39–40
corrosion by carbon dioxide–helium systems, 2(2), 39–40
corrosion by steam, 2(2), 39
corrosion by uranyl sulfate, 1(2), 52
corrosion by water, 1(2), 32; 2(2), 38–9
high-temperature properties, 1(2), 35–6
nuclear properties, 1(2), 39
pressure tubes in gas-cooled heavy-water-moderated reactors, 2(3), 56, 58
properties, 1(4), 23
radiation effects, 1(3), 25, 34; 1(4), 40
thermal properties, 1(2), 39
Zirconium alloys
See also Zircaloys
corrosion by steam, 2(2), 39
high-temperature properties, 1(2), 35–8
Zirconium-aluminum alloys, corrosion by uranyl sulfate, 1(2), 52
Zirconium-boron systems
See Boron-zirconium systems
Zirconium-cerium alloys, corrosion by uranyl sulfate solutions, 1(2), 52
Zirconium-chromium alloys, corrosion by uranyl sulfate solutions, 1(2), 52
Zirconium diboride, radiation effects, 1(1), 30
Zirconium hydride, thermal properties, 1(2), 38; 1(3), 37
Zirconium hydride–carbon dioxide systems, coolant-moderator efficiency, 2(3), 59
Zirconium-magnesium couples, diffusion, 1(2), 30
Zirconium-niobium alloys, corrosion by uranyl sulfate solutions, 1(2), 52
Zirconium-niobium-uranium alloys
See Uranium-niobium-zirconium alloys
Zirconium oxide–thorium oxide systems, properties, 1(2), 31
Zirconium oxide–uranium dioxide systems, properties, 1(2), 31

Zirconium-silver alloys, corrosion by uranyl sulfate solutions, I(2), 52
Zirconium–thorium oxide systems, properties, I(2), 31
Zirconium-uranium alloys
See Uranium-zirconium alloys
Zirconium–uranium dioxide systems, properties, I(2), 31
Zirconium-water systems, chemical reactions during irradiation, I(1), 18–19
Zirconium-yttrium alloys, corrosion by uranyl sulfate solutions, I(2), 52

LEGAL NOTICE

This document was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.